KEITH ALCOCK
Product Designer

Brighten up your bathrooom with one of our stunning cabinets or get ready in style in front of one or our striking mirrors.

Cabinets & mirrors

CABINETS

Whether you find illuminated cabinets a turn on (or off!), need a single or double cabinet in aluminium or to coordinate with your furniture, our fantastic range is bound to have something that's just right.

CABINET FEATURES

Our beautifully built cabinets are a great alternative to a mirror when you need additional storage space. And who doesn't? Packed full of useful features such as **Bluetooth®** wireless technology, heated demister pads, recharging sockets, integrated lighting & infrared on/off sensors. A Roper Rhodes cabinet more than deserves a place in your bathroom.

INFRARED ON/OFF SWITCH

An infrared switch means you can easily turn the lighting on and off with a wave of your hand.

Important: Please remember, when mounting cabinets with infrared switches, the sensor must be at least 150mm from an adjacent wall or obstruction to ensure the switch can function properly.

See pages 263 - 265 for location of sensor for each cabinet.

LED LIGHTING

The latest LED technology is used to great effect. This not only looks stunning but provides a bright, practical task light with energy saving benefits.

HEATED DEMISTER PAD

A heated demister pad in the door means that within two to three minutes the pad heats the mirror to a few degrees above room temperature, keeping the central area of the mirror door clear.

RECHARGING SOCKETS

Many of our cabinets include a recharging socket, suitable for electric shavers and toothbrushes, conveniently hidden away inside the cabinet.

Bluetooth® WIRELESS TECHNOLOGY

Integrate music seamlessly into your bathroom with an LED illuminated cabinet with **Bluetooth®** wireless technology.

SOFT CLOSE

Most of our cabinets feature soft close doors to ensure quiet and controlled closure of the bathroom cabinet

IP44

Cabinets indicated with this symbol comply with electrical equipment (safety) regulations and are IP44 rated, making them suitable for use within zone 2 of the bathroom environment.

DIMMABLE/LIGHT TEMPERATURE CHANGING

With combined dimmable on/off sensor and adjustable light temperature from 2700K (warm white) to 6000K (daylight white).

DAYLIGHT	NATURAL LIGHT	WARM LIGHT
Invigorating	Bright	Calm
6000K	→	2700K

BE IN CONTROL OF YOUR LIGHTING

The clever infrared sensor on some of our cabinets not only lets you choose the intensity but also the warmth of the LED lighting to suit your mood, the time of day or the specific task in hand.

So why not wake up to a bright, invigorating light in the bathroom when taking your morning shower to help get you going? Choose a natural light when applying make-up. Then calm things down in the evening with dim, warm lighting when preparing for bed.

You'll wonder how you managed without it! Look for cabinets with the DIMMABLE/LIGHT TEMPERATURE CHANGING icon.

FURTHER TECHNICAL INFORMATION

For further technical information on all Roper Rhodes cabinets, including fitting instructions and aftercare documents, visit roperrhodes.co.uk

CABINET BUYING GUIDE

Use the table below to guide you around our cabinet collection & find the features which are important to you when selecting a new cabinet for your bathroom.

Cabinets		Illuminated	Recharging Socket	Music	Heated Demister Door	Dimmable/ adjustable light temperature	Recessible	Coordinating Furniture	Slim Depth
Tune	Page 254	●	●	●					
Compose	Page 254	●	●	●					
Fever	Page 254	●	●		●				
Extend	Page 255	●	●			●	●		
Illusion	Page 256	●	●			●	●		
Transition	Page 256	●	●			●	●		
Perception	Page 256	●	●			●	●		
Scheme	Page 257						●	●	
Virtue	Page 258	●	●					●	
Visage	Page 258	●	●					●	
Viper	Page 259	●							
Vantage	Page 259	●	●						
Venture	Page 259	●	●						
Plateau	Page 260	●	●						
Summit	Page 260	●	●						
Reference	Page 260								
Limit	Page 261								●
Refine with lighting	Page 261	●	●						●
Refine without lighting	Page 261								●
Entity	Page 262	●	●						
Phase	Page 262	●	●						
Signature	Page 262								
Medicab	Page 262								

CABINETS WITH MUSIC

Listen to your music playlist or internet radio by pairing your smart phone or tablet to the Tune or Compose cabinet

Tune Cabinet
500(w) x 700(h) x 130mm(d)
Bluetooth® connectivity, superior integrated stereo system, bright, practical, energy saving LED lighting, infrared on/off switch, recharging socket, double sided mirror doors, soft close doors, 2 adjustable glass shelves

TU50AL

Compose Cabinet
650(w) x 700(h) x 130mm(d)
Bluetooth® connectivity, superior integrated stereo system, bright, practical, energy saving LED lighting, infrared on/off switch, recharging socket, double sided mirror doors, soft close doors, 2 adjustable glass shelves

CP65AL

CABINET WITH HEATED DEMISTER DOOR

This stylish LED illuminated cabinet comes with in-built demister pad, making a steamy mirror door a thing of the past

Fever Cabinet
515(w) x 700(h) x 130mm(d)
Heated demister pad, double sided mirror door, soft close door, infrared on/off switch, recharging socket, 2 adjustable glass shelves

AS251

RECESSIBLE CABINETS

Stunning LED illuminated aluminium cabinets with the option of being recessed into your bathroom wall for a sleek & contemporary look. The clever infrared dimmer switch technology means you can adjust both the level of light intensity & warmth to suit your mood.

Extend single door cabinet
500(w) x 700(h) x 119mm(d)
49mm depth when recessed. Fits recess 460(w) x 665mm(h)
Dimmable infrared on/off sensor which also changes the warmth of the light (2700-6000K), recharging socket, push to open door, 2 adjustable glass shelves & IP44 rated

EX50ALC

Extend double door cabinet
654(w) x 700(h) x 119mm(d)
49mm depth when recessed. Fits recess 610(w) x 665mm(h)
Dimmable infrared on/off sensor which also changes the warmth of the light (2700-6000K), recharging socket, push to open door, 2 adjustable glass shelves & IP44 rated

EX65ALC

Extend 1000mm double door cabinet
1000(w) x 700(h) x 119mm(d)
49mm depth when recessed. Fits recess 960(w) x 665mm(h)
Dimmable infrared on/off sensor which also changes the warmth of the light (2700-6000K), recharging socket, push to open door, 2 adjustable glass shelves & IP44 rated

EX100ALC **£855.00**

Surface mounted

Recessed

DIMMABLE/LIGHT TEMPERATURE CHANGING

With dimmable on/off sensor and adjustable light temperature from 2700K (warm white) to 6000K (daylight white).

RECESSIBLE CABINETS

Stunning LED illuminated aluminium cabinets with the option of being recessed into your bathroom wall for a sleek & contemporary look. The clever infrared dimmer switch technology means you can adjust both the level of light intensity & warmth to suit your mood.

Not recessed

Recessed

Illusion Cabinet

550(w) x 710(h) x 115mm(d) 47mm depth when recessed
Fits recess 520(w) x 710mm(h) Double sided mirror door, soft close door, infrared on/off switch, recharging socket, 2 adjustable glass shelves

AS241C

DIMMABLE/LIGHT TEMPERATURE CHANGING

With dimmable on/off sensor and adjustable light temperature from 2700K (warm white) to 6000K (daylight white).

Transition Cabinet

700(w) x 710(h) x 115mm(d) 47mm depth when recessed
Fits recess 670(w) x 710mm(h)
Double sided mirror doors, soft close doors, infrared on/off switch, recharging socket, 2 adjustable glass shelves

AS242C

Perception Cabinet

1000w) x 710(h) x 115mm(d) 47mm depth when recessed
Fits recess 970(w) x 710mm(h)
Double sided mirror doors, soft close doors, infrared on/off switch, recharging socket, 2 adjustable glass shelves

PE1000C

RECESSIBLE CABINETS

Single & double cabinets available in 2 depths & 5 finishes

640mm recessed cabinet gloss white

1040mm recessed cabinet gloss dark clay

Scheme 640mm Cabinet (for stud walls)
640mm recessed cabinet, 75mm depth for stud walls
Frame External Dimensions 640(w) x 830(h) x 30mm(d)

SCHCAB675.GW (Gloss white)

All finish options shown opposite

Scheme 640mm Cabinet (for built-out walls)
640mm recessed cabinet, 120mm depth for built-out walls
Frame External Dimensions 640(w) x 830(h) x 30mm(d)

SCHCAB6120.GW (Gloss white)

All finish options shown opposite

Scheme 1040mm Cabinet (for stud walls)
1040mm recessed cabinet, 75mm depth for stud walls
Frame External Dimensions 1040(w) x 830(h) x 30mm(d)

SCHCAB1075.GW (Gloss white)

All finish options shown opposite

Scheme 1040mm Cabinet (for built-out walls)
1040mm recessed cabinet, 120mm depth for built-out walls
Frame External Dimensions 1040(w) x 830(h) x 30mm(d)

SCHCAB10120.GW (Gloss white)

All finish options shown opposite

ALL CABINET SIZES & FINISH OPTIONS

Gloss White
SCHCAB675.GW
SCHCAB6120.GW
SCHCAB1075.GW
SCHCAB10120.GW

Gloss Dark Clay
SCHCAB675.GDC
SCHCAB6120.GDC
SCHCAB1075.GDC
SCHCAB10120.GDC

Gloss Light Grey
SCHCAB675.LG
SCHCAB6120.LG
SCHCAB1075.LG
SCHCAB10120.LG

Matt Carbon
SCHCAB675.MCB
SCHCAB6120.MCB
SCHCAB1075.MCB
SCHCAB10120.MCB

Matt Light Clay
SCHCAB675.MLC
SCHCAB6120.MLC
SCHCAB1075.MLC
SCHCAB10120.MLC

ALUMINIUM CABINETS

Single and double cabinets available in 10 finishes

Virtue Cabinet (charcoal elm shown)

505(w) x 705(h) x 170mm(d) inc light

Available in 10 side panel finishes to match your Roper Rhodes bathroom furniture, LED technology, double sided mirror door, soft close door, infrared on/off switch, magnetic storage holder, recharging socket, 2 adjustable glass shelves

VR50ALCE

All finish options shown below

Visage Cabinet (charcoal elm shown)

655(w) x 705(h) x 170mm(d) inc light

Available in 10 side panel finishes to match your Roper Rhodes bathroom furniture, LED technology, double sided mirror doors, soft close doors, infrared on/off switch, magnetic storage holder, recharging socket, 2 adjustable glass shelves

VS65ALCE

All finish options shown below

VIRTUE & VISAGE FINISHES

Gloss White
VR50ALW
VS65ALW

Alpine Elm
VR50ALAE
VS65ALAE

Charcoal Elm
VR50ALCE
VS65ALCE

Light Elm
VR50ALLE
VS65ALLE

Dark Elm
VR50ALDE
VS65ALDE

Gloss Dark Clay
VR50ALGDC
VS65ALGDC

Gloss Light Grey
VR50ALLG
VS65ALLG

Matt Carbon
VR50ALMCB
VS65ALMCB

Matt Light Clay
VR50ALMLC
VS65ALMLC

Umbra
VR50ALUMB
VS65ALUMB

Viper Cabinet

405(w) x 605(h) x 170mm(d) inc light

LED technology, double sided mirror door, soft close door, infrared on/off switch, magnetic storage holder, 2 adjustable glass shelves

VI40AL

Vantage Cabinet

505(w) x 705(h) x 170mm(d) inc light

LED technology, double sided mirror door, soft close door, infrared on/off switch, magnetic storage holder, recharging socket, 2 adjustable glass shelves

VA50AL

Venture Cabinet

655(w) x 705(h) x 170mm(d) inc light

LED technology, double sided mirror doors, soft close doors, infrared on/off switch, magnetic storage holder, recharging socket, 2 adjustable glass shelves

VE65AL

ALUMINIUM CABINETS

Plateau Cabinet

544(w) x 700(h) x 135mm(d)
Double sided mirror door, soft close door, infrared on/off switch, recharging socket, 3 adjustable glass shelves, convenient removable trays in base

AS515ALIL

Summit Cabinet

654(w) x 700(h) x 135mm(d)
Double sided mirror doors, soft close doors, infrared on/off switch, recharging socket, 3 adjustable glass shelves, convenient removable trays in base

AS615ALIL

Reference Cabinet

315(w) x 1450(h) x 140mm(d)
Double sided mirror doors, 4 adjustable glass shelves, dressing mirror cabinet

AS315AL

SLIM DEPTH CABINETS

These slim depth cabinets offer superb storage but save on space as they are only 100mm deep.

Limit Cabinet Aluminium

450(w) x 700(h) x 100mm(d)
Slim depth cabinet, double sided mirror door, 3 adjustable glass shelves, convenient removable trays in base

AS415ALSLP

Limit Cabinet White

450(w) x 700(h) x 100mm(d)
Slim depth cabinet, double sided mirror door, 3 adjustable glass shelves, convenient removable trays in base

AS415W

Refine Cabinet with Electrics

615(w) x 700(h) x 100mm(d)
Slim depth cabinet, double sided mirror doors, infrared on/off switch, recharging socket, LED light fitting, 3 adjustable glass shelves, convenient removable trays in base, allow additional 55mm(h) for light fitting

AS615ALSL

Refine Cabinets without Electrics

615(w) x 700(h) x 100mm(d)
Slim depth, double sided mirror doors, 3 adjustable glass shelves, convenient removable trays in base

AS615ALSLP

WOODEN CABINETS

Phase Cabinet

500(w) x 700(h) x 120mm(d)
Double sided mirror door, soft close door, infrared on/off switch, recharging socket, LED light fitting, 2 glass shelves, high gloss white finish

DN50WL

Entity Cabinet

600(w) x 700(h) x 120mm(d)
Double sided mirror doors, soft close doors, infrared on/off switch, recharging socket, LED light fitting, 2 glass shelves, high gloss white finish

DN60WL

Signatures Cabinet

600(w) x 750(h) x 160mm(d)
2 shelves, gloss white finish

SGC6W

Medicab

337(w) x 420(h) x 155mm(d)
White finish, lockable cabinet with 2 keys, adjustable shelf, can be installed for left or right hand opening, optional first aid label (complies with BS5378)

MED340

CABINET RANGE SELECTOR

Cabinets with Music

Tune

500(w) x 700(h) x 130mm(d)

TU50AL

Compose

650(w) x 700(h) x 130mm(d)

CP65AL

Cabinet with Heated Demister Door

Fever

515(w) x 700(h) x 130mm(d)

AS251

Recessible Cabinets

Extend Single

500(w) x 700(h) x 119mm(d)
49mm depth when recessed
fits recess 460(w) x 665mm(h)

EX50ALC

Extend Double

654(w) x 700(h) x 119mm(d)
49mm depth when recessed
fits recess 610(w) x 665mm(h)

EX65ALC

Extend Large Double

1000(w) x 700(h) x 119mm(d)
49mm depth when recessed
fits recess 960(w) x 665mm(h)

EX100ALC

Illusion

550(w) x 710(h) x 115mm(d)
47mm depth when recessed
fits recess 520(w) x 710mm(h)

AS241

Transition

700(w) x 710(h) x 115mm(d)
47mm depth when recessed
fits recess 670(w) x 710mm(h)

AS242

Perception

1000(w) x 710(h) x 115mm(d)
47mm depth when recessed
fits recess 970(w) x 710mm(h)

PE1000

Touch Sensitive Controls
Heated Demister Pad
Infrared Sensor
Recharging Socket
LED Lighting
Recessible
Fluorescent Lighting
Soft Close Doors
Double Sided Doors
Slimline
IP44 Rated
Dimmable & Variable Warm to Cool Light
Bluetooth®

Infrared Sensor
The position of infrared sensors is indicated on each cabinet with this symbol

Important
When mounting cabinets with infrared sensors, the sensor must be at least 150mm from an adjacent wall or obstruction to ensure the sensor can function properly

For further technical information please visit our website roperrhodes.co.uk

CABINET RANGE SELECTOR

Recessible Cabinets

Scheme
640mm Recessed
Stud walls 75mm depth

External Dimsensions
640(w) x 830(h) x 40mm(d)

Gloss white	SCHCAB675.GW
Gloss dark clay	SCHCAB675.GDC
Gloss light grey	SCHCAB675.LG
Matt carbon	SCHCAB675.MCB
Matt light clay	SCHCAB675.MLC

Scheme
640mm Recessed
Built-out walls 120mm depth

External Dimsensions
640(w) x 830(h) x 40mm(d)

Gloss white	SCHCAB6120.GW
Gloss dark clay	SCHCAB6120.GDC
Gloss light grey	SCHCAB6120.LG
Matt carbon	SCHCAB6120.MCB
Matt light clay	SCHCAB6120.MLC

Scheme
1040mm Recessed
Stud walls 75mm depth

External Dimsensions
1040(w) x 830(h) x 40mm(d)

Gloss white	SCHCAB1075.GW
Gloss dark clay	SCHCAB1075.GDC
Gloss light grey	SCHCAB1075.LG
Matt carbon	SCHCAB1075.MCB
Matt light clay	SCHCAB1075.MLC

Scheme
1040mm Recessed
Built-out walls 120mm depth

External Dimsensions
1040(w) x 830(h) x 40mm(d)

Gloss white	SCHCAB10120.GW
Gloss dark clay	SCHCAB10120.GDC
Gloss light grey	SCHCAB10120.LG
Matt carbon	SCHCAB10120.MCB
Matt light clay	SCHCAB10120.MLC

Aluminium Cabinets

Virtue

505(w) x 705(h) x 170mm(d)

Gloss white	VR50ALW
Alpine elm	VR50ALAE
Charcoal elm	VR50ALCE
Light elm	VR50ALLE
Dark elm	VR50ALDE
Gloss dark clay	VR50ALGDC
Gloss light grey	VR50ALLG
Matt carbon	VR50ALMCB
Matt light clay	VR50ALMLC
Umbra	VR50ALUMB

Visage

655(w) x 705(h) x 170mm(d)

Gloss white	VS65ALW
Alpine elm	VS65ALAE
Charcoal elm	VS65ALCE
Light elm	VS65ALLE
Dark elm	VS65ALDE
Gloss dark clay	VS65ALGDC
Gloss light grey	VS65ALLG
Matt carbon	VS65ALMCB
Matt light clay	VS65ALMLC
Umbra	VS65ALUMB

Touch Sensitive Controls
Heated Demister Pad
Infrared Sensor
Recharging Socket
LED Lighting
Recessible
Fluorescent Lighting
Soft Close Doors
Double Sided Doors
Slimline
IP44 Rated
Dimmable & Variable Warm to Cool Light
Bluetooth®

Infrared Sensor
The position of infrared sensors is indicated on each cabinet with this symbol

Important
When mounting cabinets with infrared sensors, the sensor must be at least 150mm from an adjacent wall or obstruction to ensure the sensor can function properly

Aluminium Cabinets

Viper

405(w) x 605(h) x 170mm(d)
VI40AL

Vantage

505(w) x 705(h) x 170mm(d)
VA50AL

Venture

655(w) x 705(h) x 170mm(d)
VE65AL

Plateau

544(w) x 700(h) x 135mm(d)
AS515ALIL

Summit

654(w) x 700(h) x 135mm(d)
AS615ALIL

Reference

315(w) x 1450(h) x 140mm(d)
AS315AL

Slim Depth Cabinets

Limit

450(w) x 700(h) x 100mm(d)

White	AS415W
Aluminium	AS415ALSLP

Refine with Electrics

615(w) x 700(h) x 100mm(d)
AS615ALSL

Refine without Electrics

615(w) x 700(h) x 100mm(d)
AS615ALSLP

Wooden Cabinets

Phase

500(w) x 700(h) x 120mm(d)
DN50WL

Entity

600(w) x 700(h) x 120mm(d)
DN60WL

Signatures

600(w) x 750(h) x 160mm(d)
SGC6W

Medicab

337(w) x 420(h) x 155mm(d)
MED340

MIRRORS

A Roper Rhodes illuminated mirror will really help to brighten up your bathroom. Take your pick from either integrated LED or fluorescent back lighting. All our mirrors are easy to install & many can be mounted landscape or portrait to suit your bathroom layout.

MIRROR FEATURES

When it comes to mirrors, Roper Rhodes really does have the fairest of them all. Our collection of illuminated mirrors are beautifully designed & come with a host of clever features such as **Bluetooth®** wireless technology or adjustable light temperature, heated demister pads, recharging sockets & no touch infrared on/off switching.

INFRARED ON/OFF SWITCH

Most of our illuminated mirrors are turned on and off using a no touch infrared switch. See pages 283 - 285 for location of sensor for each mirror.

Important: Please remember, when mounting mirrors with infrared switches, the sensor must be at least 150mm from an adjacent wall or obstruction to ensure the switch can function properly.

LED LIGHTING

We use the latest LED technology in our newer mirrors to great effect. This not only looks stunning but provides a bright, practical task light with energy saving benefits.

HEATED DEMISTER PAD

Within two to three minutes the pad heats the mirror to a few degrees above room temperature, keeping the central area of the mirror clear.

RECHARGING SOCKETS

Many of our mirrors include a recharging socket, suitable for electric shavers and toothbrushes.

Bluetooth® WIRELESS TECHNOLOGY

Integrate music seamlessly into your bathroom with an LED illuminated mirror with **Bluetooth®** wireless technology.

IP44

Illuminated mirrors shown with this icon comply with electrical equipment (safety) regulations and are IP44 rated, making them suitable for use within zone 2 of the bathroom environment.

DIMMABLE/LIGHT TEMPERATURE CHANGING

With combined dimmable on/off sensor and adjustable light temperature from 2700K (warm white) to 6000K (daylight white).



DAYLIGHT	NATURAL LIGHT	WARM LIGHT
Invigorating	Bright	Calm
6000K	→	2700K

BE IN CONTROL OF YOUR LIGHTING

The clever infrared sensor on some of our mirrors not only lets you choose the intensity but also the warmth of the LED lighting to suit your mood, the time of day or the specific task in hand.

So why not wake up to a bright, invigorating light in the bathroom when taking your morning shower to help get you going? Choose a natural light when applying make-up. Then calm things down in the evening with dim, warm lighting when preparing for bed.

You'll wonder how you managed without it! Look for mirrors with the DIMMABLE/LIGHT TEMPERATURE CHANGING icon.

FURTHER TECHNICAL INFORMATION

For further technical information on all Roper Rhodes mirrors, including fitting instructions and aftercare documents, visit roperrhodes.co.uk

MIRROR BUYING GUIDE

Use the table below to guide you around our mirror collection & hone in on the features which are important to you when selecting a new mirror for your bathroom.

Mirrors		Illuminated	Heated Demister Pad	Music	Recharging Socket	Dimmable / adjustable light temperature	Slim Depth / Flush Fitting
Forte	Page 272	●	●	●			
Encore	Page 272	●	●	●			
Beat	Page 272	●	●	●			
Ultra Slim	Page 273	●	●			●	●
Intense	Page 274	●	●			●	●
Oracle	Page 274	●	●			●	●
Reveal	Page 274	●	●			●	●
Eminence	Page 275	●	●				
System	Page 276	●	●			●	●
Scheme	Page 277	●	●				
Leap	Page 278	●	●		●		
Precise	Page 278	●	●				
Trance	Page 278	●	●				
Renew	Page 279	●	●				
Aura	Page 279	●	●				
Induct	Page 279	●	●				
Peak	Page 279	●	●				
Pulse Plus	Page 280	●	●		●		
Flare	Page 280	●	●				
Atom	Page 280	●					
Status	Page 281	●	●		●		
Gamma	Page 281	●	●		●		
Corona	Page 281	●	●		●		
Apollo	Page 281	●					
Equator	Page 281	●	●				
Elle	Page 282						
Hannah	Page 282						
Level	Page 282						

MIRRORS WITH MUSIC

Listen to your music playlist or internet radio by pairing your smart phone or tablet to your mirror. It's so simple!

Forte Mirror

with **Bluetooth®** Wireless Technology
600(w) x 800(h) x 55mm(d)
Bluetooth® connectivity, superior integrated stereo system, LED backit, heated demister pad, touch sensitive controls to pair your smartphone, tablet or laptop to the mirror to play & control your music choices**,** tapered body design, can be hung portrait or landscape, IP44 rated

FO80AL

Beat Mirror

with **Bluetooth®** Wireless Technology
800(w) x 600(h) x 50mm(d)
Bluetooth® connectivity, superior integrated stereo system, LED backlit, touch sensitive controls, heated demister pad

MLE420

Encore Mirror

with **Bluetooth®** Wireless Technology
500(w) x 700(h) x 50mm(d)
Bluetooth® connectivity, superior integrated stereo system, LED backlit, touch sensitive controls, heated demister pad

MLE430

Touch sensitive controls

Integrated stereo speakers

ULTRA SLIM DEPTH MIRRORS

Our ultra slim mirrors are the slimmest LED illuminated mirrors available. They come in 5 sizes to suit any bathroom & can even be tiled in for a flush fitting finish.

Ultra slim 900 mirror

Ultra slim 1200 mirror

- With dimmable on/off sensor and adjustable light temperature from 2700K (warm white) to 6000K (daylight white)
- Practical, adjustable energy saving LED lighting
- Ultra slim design - can be fitted on painted bathroom walls for an overall depth of 17mm or tiled in for a flush fitting finish
- Flexible installation - can accommodate any thickness of tile or wall cladding
- Heated demister pad prevents mirror steaming up
- Infrared on/off sensor to operate lighting & heated demister pad
- Can be hung portrait or landscape
- IP44 rated – for safe use in the bathroom

Important: The control module for the ultra slim mirror must be recessed behind the mirror. This requires the creation of an opening within the wall approximately 160(w) x 275(h) x 40(d)mm directly behind the mirror. For further information please see our website for detailed installation instructions.

Ultra slim Mirror 700
500mm(w) x 700mm(h) x 17mm(d)

US70ALC

Ultra slim Mirror 800
600mm(w) x 800mm(h) x 17mm(d)

US80ALC

Ultra slim Mirror 900
700mm(w) x 900mm(h) x 17mm(d)

US90ALC

Ultra slim Mirror 1000
1000mm(w) x 500mm(h) x 17mm(d)

US10ALC

Ultra slim Mirror 1200
1200mm(w) x 500mm(h) x 17mm(d)

US12ALC

SLIM DEPTH MIRRORS

Stunningly slim depth mirrors with a real designer edge. Infrared dimmer switch technology means you can adjust both the level of light intensity & warmth to suit your mood.

Oracle Mirror

450(w) x 700(h) x 30mm(d)
LED illuminated frame giving a beautiful halo light effect, dimmable infrared on/off sensor which also changes the warmth of the light (2700-6000K), heated demister pad, infrared on/off switch, slim design

MLE510C

Intense Mirror

800(w) x 600(h) x 30mm(d)
LED illuminated frame giving a beautiful halo light effect, dimmable infrared on/off sensor which also changes the warmth of the light (2700-6000K), heated demister pad, infrared on/off switch, slim design

MLE500C

Reveal Mirror

1200(w) x 500(h) x 30mm(d)
LED illuminated frame giving a beautiful halo light effect, dimmable infrared on/off sensor which also changes the warmth of the light (2700-6000K), heated demister pad, infrared on/off switch, slim design

MLE520C

DIMMABLE/LIGHT TEMPERATURE CHANGING

With dimmable on/off sensor and adjustable light temperature from 2700K (warm white) to 6000K (daylight white).

ILLUMINATED MIRRORS

Minimalist illuminated mirrors available in 3 contemporary shapes.

Eminence Oval Mirror

490(w) x 650(h) x 35mm(d)
Heated demister pad, infrared on/off switch & IP44 rated

EM65OAL

Eminence Circular Mirror

550mm diameter x 35mm(d)
Infrared on/off switch & IP44 rated

EM55CAL

Eminence Pill Mirror

500(w) x 800(h) x 35mm(d)
Heated demister pad, infrared on/off switch & IP44 rated

EM80PAL

ILLUMINATED MIRRORS

Slim LED mirrors which will really add some atmosphere to your bathroom, available in 3 sizes. All mirrors are dimmable with infrared on/off switch which also changes the warmth of the light (2700K - 6000K) to suit your mood or the time of day.

System 700 Mirror

700(w) x 500(h) x 25mm(d)
Coordinates with System furniture, variable warm to cool light with dimmable infrared on/off switch, heated demister pad & IP44 rated

SYS70AL

System 900 Mirror

900(w) x 700(h) x 25mm(d)
Coordinates with System furniture, variable warm to cool light with dimmable infrared on/off switch, heated demister pad & IP44 rated

SYS90AL

System 1200 Mirror

1200w) x 600(h) x 25mm(d)
Coordinates with System furniture, variable warm to cool light with dimmable infrared on/off switch, heated demister pad & IP44 rated

SYS120AL

DIMMABLE/LIGHT TEMPERATURE CHANGING

With dimmable on/off sensor and adjustable light temperature from 2700K (warm white) to 6000K (daylight white).

ILLUMINATED MIRRORS

Mirror designs which will really boost your bathroom style, available in 4 sizes.

Scheme 600 Mirror

600(w) x 470(h) x 47mm(d)
Coordinates with Scheme furniture, heated demister pad, infrared on/off switch, demister pad & IP44 rated

MLE530

Scheme 800 Mirror

800(w) x 470(h) x 47mm(d)
Coordinates with Scheme furniture, heated demister pad, infrared on/off switch, demister pad & IP44 rated

MLE540

Scheme 1000 Mirror

1000(w) x 470(h) x 47mm(d)
Coordinates with Scheme furniture, heated demister pad, infrared on/off switch, demister pad & IP44 rated

MLE550

Scheme 1200 Mirror

1200(w) x 470(h) x 47mm(d)
Coordinates with Scheme furniture, heated demister pad, infrared on/off switch, demister pad & IP44 rated

MLE560

Precise Mirror

500(w) x 710(h) x 45mm(d)
LED technology, heated demister pad, infrared on/off switch, polished aluminium sides

MLE470

Leap Mirror

600(w) x 800(h) x 55mm(d)
Bright, practical, energy saving LED lighting, heated demister pad, infrared on/off sensor, recharging socket, tapered body design, can be hung portrait or landscape, IP44 rated

LE80AL

Trance Mirror

810(w) x 600(h) x 54mm(d)
Slimline mirror with LED technology, heated demister pad, infrared on/off switch, slim design

MLE480

Trance mirror used portrait orientation

ILLUMINATED MIRRORS

Aura LED Mirror

500(w) x 700(h) x 90mm(d)
LED technology, heated demister pad, infrared on/off switch

MLE450

Renew Mirror

530(w) x 800(h) x 116mm(d)

Curved glass with integrated LED technology, heated demister pad, infrared on/off switch, ultra slim design

MLE490

Induct LED Mirror

520(w) x 730(h) x 90mm(d)
LED technology, heated demister pad, mirrored sides, infrared on/off switch

MLE440

Peak LED Mirror

1200(w) x 550(h) x 90mm(d)
LED technology, heated demister pad, mirrored sides, infrared on/off switch

MLE460

ILLUMINATED MIRRORS

A starburst LED lighting effect can add a touch of glamour to your bathroom

Pulse Plus LED Mirror

600(w) x 800(h) x 50mm(d)
60 LEDs, recharging socket (separately switched to save energy) heated demister pad, infrared on/off switch

MLE310

Flare LED Mirror

530(w) x 730(h) x 40mm(d)
42 LEDs, heated demister pad, infrared on/off switch

MLE320

Atom LED Mirror

450(w) x 600(h) x 40mm(d)
26 LEDs

TR2002

Status Mirror

600(w) x 800(h) x 55mm(d)
Tapered body, recharging socket (separately switched to save energy), heated demister pad, infrared on/off switch

MLB280

Corona Mirror

600(w) x 800(h) x 50mm(d)
Includes inset magnifying mirror (2x magnification), recharging socket (separately switched to save energy), heated demister pad, infrared on/off switch

MLB300

Equator Mirror

600(w) x 800(h) x 45mm(d)
Ambient lighting, heated demister pad, infrared on/off switch

MLB260

Gamma Mirror

520(w) x 760(h) x 180mm(d)
Integrated glass shelf, recharging socket (separately switched to save energy), heated demister pad, infrared on/off switch

MLB270

Apollo Mirror

450(w) x 700(h) x 40mm(d)

TR2001

NON ILLUMINATED MIRRORS

Elle Bevelled Mirror
405(w) x 595mm(h)
Can be hung portrait or landscape

MPS403

Hannah Bevelled Mirror
420(w) x 800mm(h)
Can be hung portrait or landscape

MPS402

Level Bevelled Mirror
495(w) x 710mm(h)
Can be hung portrait or landscape

MPS401

BATHROOM LIGHTING

550 Wall Light
60(w) x 550(h) x 80mm(d)
Priced individually

LIGHT01

MIRROR RANGE SELECTOR

Mirrors with Music

Forte

DEMIST LED IP44

600(w) x 800(h) x 55mm(d)

FO80AL

Beat

DEMIST LED IP44

800(w) x 600(h) x 50mm(d)

MLE420

Encore

DEMIST LED IP44

500(w) x 700(h) x 50mm(d)

MLE430

Ultra Slim Depth Mirrors

Ultra Slim 700

DEMIST LED IP44

500(w) x 700(h) x 17mm(d)

US70ALC

Ultra Slim 800

DEMIST LED IP44

600(w) x 800(h) x 17mm(d)

US80ALC

Ultra Slim 900

DEMIST LED IP44

700(w) x 900(h) x 17mm(d)

US90ALC

Ultra Slim 1000

DEMIST LED IP44

1000(w) x 500(h) x 17mm(d)

US10ALC

Slim Depth Mirrors

Ultra Slim 1200

DEMIST LED IP44

1200(w) x 500(h) x 17mm(d)

US12ALC

Oracle

DEMIST LED IP44

450(w) x 700(h) x 30mm(d)

MLE510C

Intense

DEMIST LED IP44

600(w) x 800(h) x 30mm(d)

MLE500C

Reveal

DEMIST LED IP44

1200(w) x 500(h) x 30mm(d)

MLE520C

Illuminated Mirrors

Eminence 550 Circular

LED IP44

550mm diameter x 35mm(d)

EM55CAL

Eminence 650 Oval

DEMIST LED IP44

490(w) x 650mm(h) x 35mm(d)

EM65OAL

Eminence 800 Pill

DEMIST LED IP44

500(w) x 800mm(h) x 35mm(d)

EM80PAL

See overpage for icon key.

MIRROR RANGE SELECTOR

Illuminated Mirrors

System 700

DEMIST IP44

500(w) x 700(h) x 25mm(d)

SYS70AL

System 900

DEMIST IP44

700(w) x 900(h) x 25mm(d)

SYS90AL

System 1200

DEMIST IP44

1200(w) x 600(h) x 25mm(d)

SYS120AL

Scheme 600

DEMIST LED IP44

600(w) x 470(h) x 47mm(d)

MLE530

Scheme 800

DEMIST LED IP44

800(w) x 470(h) x 47mm(d)

MLE540

Scheme 1000

DEMIST LED IP44

1000(w) x 470(h) x 47mm(d)

MLE550

Scheme 1200

DEMIST LED IP44

1200(w) x 470(h) x 47mm(d)

MLE560

Precise

DEMIST LED IP44

500(w) x 710(h) x 45mm(d)

MLE470

Leap

DEMIST LED IP44

600(w) x 800(h) x 55mm(d)

LE80AL

Trance

DEMIST LED IP44

810(w) x 600(h) x 54mm(d)

MLE480

Renew

DEMIST LED IP44

530(w) x 800(h) x 116mm(d)

MLE490

Aura

DEMIST LED IP44

500(w) x 700(h) x 90mm(d)

MLE450

Induct

DEMIST LED IP44

520(w) x 730(h) x 90mm(d)

MLE440

Peak

DEMIST LED IP44

1200(w) x 550(h) x 90mm(d)

MLE460

Pulse Plus

DEMIST LED IP44

600(w) x 800(h) x 50mm(d)

MLE310

Infrared Sensor
The position of infrared sensors is indicated on each cabinet with this symbol

Important
When mounting cabinets with infrared sensors, the sensor must be at least 150mm from an adjacent wall or obstruction to ensure the sensor can function properly

MIRROR RANGE SELECTOR

Illuminated Mirrors

Flare

DEMIST LED IP44

530(w) x 730(h) x 40mm(d)

MLE320

Atom

LED IP44

450(w) x 600(h) x 40mm(d)
Rocker switch located on bottom right

TR2002

Status

DEMIST IP44

600(w) x 800(h) x 55mm(d)

MLB280

Gamma

DEMIST IP44

520(w) x 760(h) x 180mm(d)

MLB270

Corona

DEMIST IP44

600(w) x 800(h) x 50mm(d)

MLB300

Apollo

LED IP44

450(w) x 700(h) x 40mm(d)Rocker switch located on bottom right

TR2001

Equator



DEMIST IP44

600(w) x 800(h) x 45mm(d)

MLB260

Non Illuminated Mirrors

Elle

405(w) x 595mm(h)

MPS403

Hannah

420(w) x 800mm(h)

MPS402

Level

495(w) x 710mm(h)

MPS401

Lighting

Wall Light

LED IP44

60(w) x 550(h) x 80mm(d)

LIGHT01

FEATURES

DAB Radio
FM Radio
Multi Media Input
Touch Sensitive Controls
Heated Demister Pad
Infrared Sensor
Recharging Socket
LED Lighting
Fluorescent Lighting
Tapered Body
Landscape or Portrait
IP44 Rated
Ambient Lighting
Magnifying Mirror
Dimmable/ Variable Warm to Cool Light
Bluetooth®