

RANGEMaster Built-in Range

Rangemaster's latest collection of appliances that make cooking a pleasure; simple choices that marry innovation with versatility and style with practicality.

The Rangemaster built-in range offers premium cooking and perfected functionality tested to meet the modern home's demands ensuring our products deliver perfect results without compromise.

Beautiful styling, refined finish and a finesse that promises to inspire you in the kitchen.

look



RMB610BL/SS

Single Cavity 10 Function Touch Control Oven



RMB45SCBL/SS

Compact Premium Steam Oven



RMB45WDBL/SS

Warming Drawer



RMB60HPEIGL/

60cm 4 Zone Induction Hob



GEO43TREBF/

Geo 4-in-1 Trend Tap -Brushed finish



the Built-in Range

RMB605BL/SS



- 5 Functions
- Stainless Steel Rotary Controls

RMB610BL/SS



- Single Cavity
- 10 Functions
- Soft Close Door Touch Control
- RMB7245BL/SS



- Built-under Double
- 4 / 5 Functions
- · Steel Rotary Controls

RMB9045BL/SS



- Steel Rotary Controls

RMB45MCBL/SS



- 45cm Compact
- Microwave Combi
- Touch Control

RMB608BL/SS



- · Single Cavity
- · Stainless Steel Rotary Controls

RMB610PBL/SS



- Single Cavity
- 10 Functions Soft Close Door
- Pyrolytic Oven
- Touch Control

RMB7248BL/SS



- Built-under Double
- 4 / 8 Functions
- Steel Rotary Controls

RMB9048BL/SS



- 4 / 8 Functions
- Steel Rotary Controls

RMB45SCBL/SS



- 45cm Compact
- Touch Control

RMB60HPNGFGL/ RMB60HPNGFSS/

4 Burner Gas on Steel

Cast Iron Pan Supports

• 5 Burner Gas on Steel

· Cast Iron Pan Supports

• 60cm

4 Zone Induction

• Touch Control

RMB60HPEIGL/

· Stainless Steel Rotary Controls

· Stainless Steel Rotary Controls

RMB70HPNGESS/



- 4 Burner Gas on Glass
- · Stainless Steel Rotary Controls
- Cast Iron Pan Supports

RMB70HPNGFGL/



- - 5 Burner Gas on Glass
 - · Stainless Steel Rotary Controls
 - Cast Iron Pan Supports

RMB60HPECGL/



- 60cm
- 4 Zone Ceramic



- Touch Control

RMB75HPECGL/



- 75cm
- 5 Zone Ceramic
- Touch Control

RMB45WDBL/SS



- · Warming Drawer
- · Hot air warming

RMB45SDBL/SS



- Storage Drawer
- 25kg capacity

OVEN FUNCTIONS



LIGHT

Ideal for illumination of the cavity for cleaning, whilst food is cooling or simply to maintain ambient lighting in the kitchen.



DELICATE BAKE

Perfect for pastry dishes such as Quiche or an open tart to ensure a crisp base is achieved whilst cooking the filling.



DEFROST

A safer way to speed up the defrosting process. Using the fan to circulate unheated air around the cavity so you wont accidentally cook your food, like a microwave can.



BROWNING

Great for browning off pasta or dishes that are topped with cheese to create a perfect finish to vour dish.



GRILL

Ensures a high direct temperature for meats or where browning of a dish is required.



FAN ASSISTED

Utilising the conventional oven elements alongside the fan, this produces zoned cooking with the hottest zone being featured at the top of



FANNED GRILL

Enables the door to be closed whilst grilling. This ensures a more consistent result while preventing cooking smells from permeating the room.



DUO

Using the lower element only, this cooking method is often used for slow-cooking casseroles and can also be used to give a crispy base to your pizza.



A fan oven draws air from the interior of the oven. heats it up and forces it back into the cavity again. The heat within a fan oven is evenly distributed for multi-level cooking and consistent results.



RAPID COOKING

A fast and intensive cook when you're in a hurry. Use for dishes that aren't temperature sensitive such as ready meals or simply for searing meats.



CONVENTIONAL

This traditional cooking method uses heat sourced from both the top and bottom of the oven, this results in a natural convection process that centres the heat in the top of the oven.



BASE HEAT

Direct heat from the base of the oven; great for baking pastry blind, quiche and any dessert with

OVEN FEATURES



LARGE CAPACITY

Large capacity 73L single oven cavities as standard.



SOFT CLOSE DOORS

On both the 10 function single ovens.



PREMIUM REFINEMENT

Steel constructed bar handle and rotary controls.



BUILT-IN SINGLE OVENS





10 FUNCTION TOUCH CONTROL

RMB610BL/SS

- 10 Functions
- Soft close door
- · Stainless Steel bar handle
- 73L large capacity oven
- Triple glazed removable door
- Touch control

- · Easy clean enamel
- A rated for energy efficiency
- 24hr Programmable LED display
- 2 shelves
- 1 grill pan
- 2 year warranty





















8 FUNCTION

RMB608BL/SS

- 8 Functions
- Stainless Steel bar handle
- 73L large capacity oven
- Triple glazed removable door
- · Stainless Steel rotary control
- Easy clean enamel
- · A rated for energy efficiency • 24hr Programmable LED display
- 2 shelves
- 1 grill pan
- 2 year warranty

















5 FUNCTION


RMB605BL/SS

- 5 Functions
- Stainless Steel bar handle
- 73L large capacity oven
- Triple glazed removable door
- · Stainless Steel rotary control
- Easy clean enamel









- 24hr Programmable LED display
- 2 shelves
- 1 grill pan
- 2 year warranty



BUILT-UNDER DOUBLE OVENS



4 / 8 FUNCTION

RMB7248BL/SS

- 8 function main cavity
- · 4 function second cavity
- · Stainless Steel bar handle
- 80L combined capacity 45/35
- Triple glazed removable door
- · Stainless Steel rotary control
- A/A rated for energy efficiency
- 24hr Programmable LED display
- · Easy clean enamel
- 3 shelves
- 1 grill pan / 1 roasting tray
- 2 year warranty























4 / 5 FUNCTION

RMB7245BL/SS

- 5 function main cavity
- 4 function second cavity
- Stainless Steel bar handle
- 80L combined capacity 45/35
- Triple glazed removable doors
- Stainless Steel rotary control
- A/A rated for energy efficiency
- 24hr Programmable LED display
- Easy clean enamel
- 3 shelves
- 1 grill pan / 1 roasting tray
- 2 year warranty





















BUILT-IN DOUBLE OVENS





4 / 8 FUNCTION

RMB9048BL/SS

- 8 function main cavity
- 4 function second cavity
- · Stainless Steel bar handle
- 91L combined capacity 56/35
- Triple glazed removable doors
- Stainless Steel rotary control
- A/A rated for energy efficiency
- 24hr Programmable LED display
- · Easy clean enamel
- 3 shelves
- 1 grill pan / 1 roasting tray
- 2 year warranty























4 / 5 FUNCTION

RMB9045BL/SS

- 5 function main cavity
- · 4 function second cavity
- Stainless Steel bar handle
- 91L combined capacity 56/35
- Triple glazed removable doors
- Stainless Steel rotary control
- A/A rated for energy efficiency • 24hr Programmable LED display
- Easy clean enamel
- 3 shelves
- 1 grill pan / 1 roasting tray
 - 2 year warranty





















ACCESSORIES

Single ovens feature 2 shelves and grill pan (with removable handle) whilst the double ovens come with 3 shelves, 1 grill pan (with removable handle) and 1 roasting pan.



PAIR WITH A RANGEMASTER **BUILT-IN HOB**

Complementary ceramic, gas on stainless, gas on glass and induction hobs will make the perfect partner in your kitchen.



COMPACTS & DRAWERS





MICROWAVE COMBINATION OVEN

RMB45MCBL/SS

- Combination cooking
- 8 Functions
- 6 power levels
- Touch control
- A rated for energy efficiency
- · White LED display
- Programmable LED display
- Glass turntable plate
- · High wire rack
- 2 year warranty













WARMING DRAWER

RMB45WDBL/SS



- Hot air warming system
- Controllable heat 30° 60°
- Handle-less touch to open
- Non-slip drawer lining

STORAGE DRAWER

RMB45SDBL/SS



- 25kg capacity
- · Handle-less touch to open
- Non-slip drawer lining

GETTING THE MOST FROM STEAM COOKING

Utilising the latest in premium technology, the forced steam system tailors the steam delivery to provide perfect results on any dish. Healthy, easy and flavour packed; cooking with steam is easy. An entire meal can be made in a single cooking process with no taste transfer.



Steam - 40° - 100° heat. An all encompassing function for a variety of uses to provide healthy, flavour packed results



Fish – 70° – 100° automatic programmes that ensures fish dishes are prepared to perfection.



Grill - Ideal to finish your dish with a golden brown glaze.



Defrost - Ensures a consistent defrost without the risk of cooking the product through.



Meat - 80° - 100° heat with 5 auto programmes that ensure a succulent finish to all meat dishes.



Veg – 5 programmable functions to gently cook all types of vegetables and lock in natural flavours and nutrients.



Pizza - Replicating traditional pizza oven methods, this option provides a refined finish to pizza's, fresh or frozen.



De scale - For easy cleaning and maintenance, the de-scale function ensures perfect long term



GAS & ELECTRIC HOBS



GAS

RMB60HPNGFGL/



- 60cm
- 4 burner
- Gas
- Black glass
- Rotary controls
- LPG kit included
- Cast iron pan supports

RMB70HPNGFGL/



- 70cm
- 5 burner
- Gas
- Black glass
- Rotary controls
- LPG kit included
- Cast iron pan supports

RMB60HPNGFSS/



- 4 burner
- Gas
- Stainless Steel
- Rotary controls
- LPG kit included
- Cast iron pan supports

RMB70HPNGFSS/



- 70cm
- 5 burner
- Gas
- Stainless Steel
- Rotary controls
- LPG kit included
- Cast iron pan supports

CERAMIC

RMB60HPECGL/




- 60cm
- 4 Zone
- Fast response
- Touch control
- Hot hob indicator
- Child safety lock

RMB75HPECGL/



- 75cm
- 5 Zone
- Fast response
- Touch control
- Hot hob indicator
- Child safety lock



HOODS & SPLASHBACKS



HOODS







- Ceiling suspended hood
- 3 speeds plus intensive
- Timer delay setting
- · Remote control included
- Re-circulating as standard
- Charcoal and Aluminium filters included
- LED lighting
- 24 hour setting
- 2 year warranty

VESPER







- Ceiling suspended hood
- 'Up and Down' motorised movement
- 3 speeds plus intensive
- Timer delay setting
- · Remote control included
- Re-circulating as standard*
- Charcoal and Aluminium filters included
- 24 hour setting
- 2 year warranty

BELLINI Black White





- · Energy efficient
- 4 speeds plus intensive
- Touch control with blue display
- Charcoal and Aluminium filters included
- LED lighting
- Brushless Motor
- Timer Delay
- Available as re-circulating and extraction**
- 2 year warranty

60cm CHIMNEY Black





• Charcoal and Aluminium filters included

SPLASHBACKS

BLACK




Available in 60 or 70cm widths

- Stainless Steel construction
- 67cm height

STAINLESS STEEL



- Available in 60 or 70cm widths
- Stainless Steel construction
- 67cm height



INTEGRATED REFRIGERATORS





70:30

RFXF7030FI/AP

- A+ rated for energy efficiency
- Impressive 232 litre net capacity
- Humidity controlled crisper drawers
- Holiday Mode ensuring lower energy consumption while you're away
- Super Cool and Super Freeze functions to cool/freeze food quickly to maintain nutrients
- Silver trim on shelving and door furniture
- Reversible hinging
- Four star freezer
- 2 year warranty



UNDER COUNTER FRIDGE

RUCLF540FL/AP

- A+ rated for energy efficiency
- 144 litre net capacity
- Unique strong door shelving with chrome detail
- Modern clear finish on all shelving and drawers
- Reversible hinging
- 2 year warranty



UNDER COUNTER FREEZER

RUCFZ540FL/AP

- A+ rated for energy efficiency
- 97 litre net capacity
- Super freeze functionality
- · Modern, clear finish on all drawers
- Four star freezing
- Reversible hinging
- 2 year warranty



INTEGRATED DISHWASHERS





10 PLACE

RDW1045FL/

- Slimline 45cm model
- 10 place setting
- A+ energy efficiency
- 6 washing temperatures
- 8 programmes including: Auto Intensive, Auto Delicate, Rapid, Soak/Prewash & Eco Wash
- Adjustable top level racking
- LCD digital display with silver fascia
- 2 year warranty



12 PLACE

RDW1260FL/

- 5 washing temperatures
- A++ energy efficiency
- 9 programmes including: Auto, Auto Intensive, Auto Delicate, Rapid, Extra Intensive & Eco Wash
- Adjustable top level racking
- Less water consumption, 9 litres per cycle
- LCD digital display with silver fascia
- 2 year warranty



INTEGRATED DISHWASHERS


Our dishwashers come with a host of innovative features, low water consumption, low energy use, simple programming, easily adjustable racking, up-to 19-hour time delay, Auto and Eco wash on both 45cm and 60cm models as well as a choice of top or bottom level half load wash.

LINE DRAWINGS


For full specifications visit www.rangemaster.co.uk


60CM BUILT-IN

90CM BUILT-IN





72CM BUILT-IN














WARMING & STORAGE DRAWERS




4 ZONE INDUCTION




4 BURNER GAS HOB




5 BURNER GAS HOB



5 ZONE CERAMIC



4 ZONE CERAMIC



HOODS

	60CM CHIMNEY HOOD		ZEST HOOD			VESPER HOOD			OPAL HOOD					BELLINI HOOD							
WIDTH	598		400				515			598 / 898 / 998					600						
DEPTH	470			400			 410			148 - 339					148 - 333						
HEIGHT	725 - 1060		MAX. 1031			 MAX. 1305				835 - 1020					710 - 1030						
SPEED	1	2	3	1	2	3	BOOST	 1	2	3	BOOST	1	2	3	BOOST		1	2	3	3	BOOST
AIR CAPACITY M3/HOUR*	240	340	470	285	435	540	600	 230	345	450	520	300	470	605	690	4	200	390	500	620	860
AIR CAPACITY M3/HOUR**	250	355	500	295	450	560	630	235	355	460	540	310	490	640	730	1	210	410	530	660	920
PRESSURE PA	170	220	250	360	450	480	500	360	450	480	500	360	450	480	500	4	430	440	480	540	630
INPUT W	70	100	145	135	170	215	250	135	170	215	250	135	170	215	250		10	30	55	95	270
NOISE LEVEL DBA***	52	60	66	49	60	65	68	49	60	65	68	52	62	67	70		42	57	62	67	73
DUCTING KIT (MM Ø) ****	150	150	150	150	150	150	150	150	150	150	150	150	150	150	150	:	150	150	150	150	150
ENERGY RATING	E	Е	Е	С	С	С	С	D	D	D	D	С	С	С	С		Α	Α	Α	Α	А

^{*} As per IEC 61591 when cooker hood is in extraction mode ** As per IEC 61591 when there is 'free air delivery' *** EN 60704-2-13 method **** Rangemaster recommend 150mm ducting for optimum performance. A 125mm/150mm conversion kit is supplied with the product.

REFRIGERATORS

	50:50	70:30	UNDER COUNTER FRIDGE	UNDER COUNTER FREEZER
DIMENSIONS IN MM				
HEIGHT	1773	1773	818 - 868	818 - 868
WIDTH	555	555	596	596
DEPTH	540	540	550	550
TOTAL GROSS CAPACITY	254 LITRES	266 LITRES	145 LITRES	108 LITRES
TOTAL NET CAPACITY	241 LITRES	232 LITRES	144 LITRES	97 LITRES
REFRIGERATOR CAPACITY	148 LITRES	179 LITRES	144 LITRES	
FREEZER CAPACITY	84 LITRES	62 LITRES		97 LITRES
ENERGY CONSUMPTION / YEAR	313 kWH	300 kWH	123 kWH	192 kWH
SHELVES / DRAWERS	4 FRIDGE SHELVES /	4 FRIDGE SHELVES /	3 FRIDGE SHELVES	3 FREEZER DRAWERS /
	4 FREEZER DRAWS	4 FREEZER DRAWS		1 SUPER FREEZE DRAW
SHELVING	GLASS SHELF WITH	GLASS SHELF WITH	GLASS SHELF WITH	
	METAL TRIM	METAL TRIM	METAL TRIM	
NET WEIGHT	68 KG	69 KG	30 KG	32 KG
REVERSIBLE DOOR	YES	YES	YES	YES
MAX NOISE LEVEL	39 DBA	39 DBA	40 DBA	40 DBA
WARRANTY	2 YEARS	2 YEARS	2 YEARS	2 YEARS
ENERGY RATING	A+ (*/***)	A+ (*/***)	A+	(*/***)

DISHWASHERS

RDW1260FI/	RDW1045FI/
	10
A++	A+
A	A
А	A
0.9KW	0.8KW
9 LITRES	12 LITRES
47 DB(A)	47 DB(A)
9	8
815-875 x 596 x 550	815-870 x 448x 548
38KG	32KG
820-870 x 600 x 570	815 - 875 x 450 x 570
647-717 MAX H	647-717 MAX H
258 KW/H	237 KW/H
2520 LITRES	3360 LITRES
	12 A++ A A A O.9KW 9 LITRES 47 DB(A) 9 815-875 x 596 x 550 38KG 820-870 x 600 x 570 647-717 MAX H 258 KW/H



Smart, efficient and safe; GEO offers safe dispensing of 98° water with its childsafe key fob system, smart anti-scale technology for hassle free maintenance and efficiently delivers over 100 cups of perfectly filtered 98° water an hour.

www.geo-taps.co.uk



RANGEMaster Built-in Range

Clarence Street Royal Leamington Spa Warwickshire CV31 2AD England

Consumer Services: +44 (0)800 804 6261 or (0)370 789 5107 from a mobile.
Fax: +44 (0)1926 450526
E-mail: consumers@agarangemaster.co.uk

www.rangemaster.co.uk

For UK Trade Enquiries Tel: +44 (0)115 946 4000 Fax: +44 (0)115 973 6602 E-mail: sales@agarangemaster.co.uk

For ROI Enquiries Tel: 1850 302 502

Rangemaster is a trading name of AGA Rangemaster Limited Registered in England and Wales. Registration No. 354715 Registered Office: Juno Drive, Leamington Spa, Warwickshire, CV31 3RG

D008331

RANGEMaster

Rangemaster continuously seeks improvements in specification, design and production of products and thus, alterations take place periodically. Whilst every effort is made to produce up-to-date literature, this brochure should not be regarded as an infallible guide to current specification, nor does it constitute an offer for the sale of any particular appliance.