



# ELKA

designer  
floors  
for living

# DISCOVER HOW AN ELKA FLOOR CAN TRANSFORM YOUR HOME



8MM DRIFTWOOD OAK - LAMINATE

Cover: Herringbone Dark Smoked Oak real wood engineered flooring.

Real wood product images are of a natural product. Part of its character and charm is its naturally occurring and individual variations in shade and tone. Therefore, the colours shown here may not be an exact representation of the product.

Although every effort has been made to reproduce the colour of the real wood and laminate products shown in this brochure, there will be slight variations in actual colours due to printing limitations.

E&OE. All information contained in this literature is correct at the time of going to print. Unilin Distribution reserves the right to amend specifications or discontinue products, if necessary, without prior notice. We recommend that you visit our website for the most up to date information.

## FLOORING COLLECTIONS

PAGES 08-45

LAMINATE  
REAL WOOD ENGINEERED  
SOLID WOOD

## ELKA EXTRAS

PAGES 46-55

PREPARE  
FIX / FINISH  
MAINTAIN

## PRODUCT OVERVIEW

PAGES 56-59

THE FULL  
RANGE AT  
A GLANCE

# WHICH ELKA FLOOR SHOULD I CHOOSE FOR MY HOME?



## lamininate flooring



12MM CINNAMON OAK

## LAMINATE FLOORING

Elka's laminate range is one of the most superior quality laminate flooring ranges currently available on the market. Designed to look great and last the distance, we apply strict standards to each board, ensuring maximum strength and a flawless finish that makes it look every bit as beautiful as a natural wood floor. The v-groove technology is an advanced bevel edging which helps to create a look that reflects the natural qualities of wood flooring.

The range features the unparalleled and technically superior Uniclic® system. Its glue-free installation process makes it fast and easy to lay or re-lay anywhere, meaning you can take it with you if you move house. Each board locks together securely, ensuring a seamless joint that won't allow dust or dirt to gather. With the lifetime warranty on the Uniclic® system, it means you can enjoy a quality finish for years to come.



8MM COUNTRY OAK

## real wood engineered flooring



14MM RUSTIC UV LACQUERED OAK

## REAL WOOD ENGINEERED FLOORING

With all the aesthetics of a real wood floor, but without any of the restrictions, real wood engineered flooring is a practical design choice for any home. When laid, an Elka real wood engineered floor is virtually indistinguishable from a solid wood floor. This is thanks to the product's unique structure, which includes a generous surface layer of between 2.2mm and 6mm of real wood, making it possible for all Elka engineered floors to be sanded and refinished.

The strength of each board comes from three or more layers of wood laid in opposite directions. This helps to avoid any issues with contraction or expansion, making it perfect for use in areas where traditional hardwood flooring cannot be used, such as in conservatories or in conjunction with embedded underfloor heating. The simplicity of its construction makes it perfect for use in DIY projects and thanks to its strength, it can easily be installed as a floating floor.

## SOLID WOOD FLOORING

Made from high quality premium, solid timber, the random length boards and natural colours of this range will add natural character and instant warmth, making this flooring a solid investment for any home. The grains and colours of Elka solids create an ambience with real character and a sense of long life and permanence, adding beauty and elegance to your interior.

Each Elka solid wood board is made from 18mm of 100% solid oak sourced from responsibly managed forests and are all FSC® certified. Created from high-grade timber, we only select the most aesthetically pleasing grains for use in this exclusive range and offer a range of stained, oiled and lacquered finished planks. Solid wood floors can be fitted using numerous techniques. These include: adhering it direct to a sub floor, nailing or screwing it to timber, or floating it using Elka 3in1 underlay. For more information visit [www.elkaflooring.co.uk](http://www.elkaflooring.co.uk). Our strict production process means that every board is checked by hand at least three times before being packaged, guaranteeing a high level of quality in every detail of your new floor.

## solid wood flooring



18MM RUSTIC BRUSHED & OILED OAK

# THE NATURAL BEAUTY AND ELEGANCE OF AN ELKA FLOOR




## BRING THE BEAUTY OF NATURE INTO YOUR HOME

Due to the increasing interior trend for flooring to have even more character, we have increased our real wood engineered range. Our products showcase many of these features where the smoking produces more colour variation than staining. The result is much warmer and the natural characteristics are even more enhanced. Our Herringbone real wood engineered floor is a classic design, it equally complements antique furniture or works well in a modern contemporary environment. Due to the distinctive pattern, care must be taken when laying the boards, but the tongue and groove system means that this classic style is now achievable in any home.

The timeless elegance of a wood floor brings warmth and beauty to every home. The variety of styles, colours and species give you a wonderful range to choose from and allows you to put your unique stamp on your living space.

Our laminate range reflects the beauty of nature, while still maintaining a consistent quality throughout every board. Our real wood engineered and solid ranges use high grade hardwood that has been primarily selected for its hardwearing quality to ensure dimensional stability and long lasting durability.



### SUSTAINABLE FORESTRY

Every year, more and more timber is available from sustainably managed forests, so every year, we improve and increase our environmentally friendly products.



The choice of a good quality floor from Elka is a smart one both for you and the environment. Our flooring is both designed to last and to be admired, so you are unlikely to want to change it for a very long time. This is especially true for our engineered and solid wood boards which actually become more beautiful with age. We might specialise in creating great home environments, but we also take great care to do everything we can to look after the environment around us. That's why as manufacturers and importers, we understand the importance of sourcing the most responsibly managed raw materials possible to make our flooring. This includes developments like the creation of laminate and engineered floors that can be installed without the use of an adhesive due to the revolutionary Uniclic® system.

Where possible, we insist upon maintaining a certified chain of custody for the majority of the timber we buy. That's why we're so proud that more than half of our product range is FSC® (Forest Stewardship Council®) or PEFC™ (Programme for the Endorsement of Forest Certification) certified. These awards are given to responsibly managed forests that

respect the legal system, land usage rights and the rights of indigenous peoples and their workers, in addition to guaranteeing that felled trees are replaced with saplings.


These unique international non-profit, non-governmental certification systems represent some of the largest environmental movements in the world and we are excited and proud to be a part of them. This means that when you purchase an Elka floor, you can be proud that you are choosing to furnish your home with one of the world's environmentally friendly products: natural wood from a responsibly managed forest. For any timber that isn't certified, we always ensure that it is from well-managed sources.

For our FSC® and PEFC™ certified products, look for the following logos.



## THE NATURAL CHARACTERISTICS OF WOOD FLOORING

The real wood products capture all the rustic qualities of wood and bring the very essence of nature into your home. Each floor board is unique, enriched with naturally occurring characteristics such as knots of various sizes, flared grain patterns, burls, sapwood and mineral streaks. These are characteristics of each species' individual growth process, and are all influenced by region, sunlight, climate and the soil. There are two types of knots; live knots which showcase the beautiful density of the spiral grain and dead knots which are repaired with a rich coloured filler. Any splits or cracks are filled and add a lively character to the unmistakable quality of a natural product. The colour variation within each plank reflects naturally occurring mineral and sapwood streaks and are even further enhanced when stained or treated.




BRAND  
NEW  
RANGE



real wood engineered

flooring

Elka engineered flooring is a truly practical product, chosen for its strength, flexibility of installation and overall stability. It perfectly mimics a solid wood floor, but is actually made of three or more layers of real wood with an upper layer of genuine hardwood. It can be used in conservatories and in conjunction with underfloor heating.

features & advantages	structural composition of engineered flooring
<ul style="list-style-type: none"> <li>Can be laid over embedded underfloor heating</li> <li>Can be sanded and refinished</li> <li>Made from 100% natural wood</li> <li>Dimensional stability</li> <li>Can be laid in all residential areas (except those of high humidity)</li> </ul>	<ul style="list-style-type: none"> <li>Carefully selected real wood wear layer</li> <li>Latest technology machining for ultimate stability</li> <li>Engineered ply construction for a stable inner core</li> <li>Superior glue throughout ensures a long carefree life</li> <li>Selected veneer backing for added stability</li> </ul> 

12.5mm real wood engineered

flooring



DOUBLE WHITE OAK

WITH ALL THE AESTHETICS OF A REAL WOOD FLOOR, OUR **12.5MM REAL WOOD ENGINEERED** FLOORING IS A PRACTICAL DESIGN CHOICE FOR ANY HOME.



ANTIQUÉ OAK

Real wood product images depict a natural product and as a result, each pack contains boards with their own unique natural variations.

12.5mm real wood engineered

flooring



Choose any floor from our 12.5mm range with its 2.2mm real wood wear layer and you have the added confidence that your floor is fully PEFC™ certified. It can be used in conjunction with underfloor heating.

<b>12.5MM REAL WOOD ENGINEERED</b> 12.5 x 145 x 1820mm 1.583m <sup>2</sup> per pack 2-sided bevel (long side)
<b>KEY FEATURES</b> Solid Oak - 2.2mm wear layer HDF moisture resistant core Uniclic® locking system - suitable for DIY installation PEFC™ - Caring for the environment



ANTIQUE OAK

Real wood product images depict a natural product and as a result, each pack contains boards with their own unique natural variations.



Double White Oak

UV brushed matt  
lacquered finish



Golden Oak

UV brushed matt  
lacquered finish



Classic White Oak

UV brushed matt  
lacquered finish



Antique Oak

UV brushed matt  
lacquered finish



14mm real wood engineered

flooring

UNICLIC

TONGUE & GROOVE



RURAL OAK



CARAMEL OAK

OUR 14MM REAL WOOD ENGINEERED FLOORING OFFERS THE MOST EXTENSIVE CHOICE WITHIN OUR RANGE. WITH OPTIONS AVAILABLE USING OUR PATENTED UNICLIC® SYSTEM OR THE MORE TRADITIONAL TONGUE AND GROOVE SYSTEM.



UNICLIC

The Uniclic® installation system is a glue-free process which is fast and easy to lay. Each board locks together securely, ensuring a seamless joint that won't allow dust or dirt to gather. With the lifetime warranty on the Uniclic® system, you can enjoy a quality finish for years to come.



TONGUE & GROOVE

Each plank features a tongue and groove format. Depending on the format of the board each installation can be either secret nailed or glued to a suitable sub floor. Refer to installation instructions for advice.



# 14mm real wood engineered flooring





With an extensive range of finishes, our 14mm real wood engineered floor has a surface layer of 3mm and can be used in conjunction with underfloor heating. This range includes the revolutionary Uniclic® system which is renowned not only for its strength, but also for the ease and flexibility of installation.

<b>14MM REAL WOOD ENGINEERED</b>
14 x 190 x 1820mm 2.075m <sup>2</sup> per pack 4 or 2-sided bevel (long side)

<b>KEY FEATURES</b>
Solid oak - 3mm wear layer Real wood core Up to 30% starter boards Uniclic® locking system

Suitable for underfloor heating



Rustic Brushed & Oiled Oak / Rustic Lacquered Oak / Caramel Oak Truffle Oak / Super Rustic Oak <b>14x190x1820mm</b> <b>2.075m<sup>2</sup> per pack</b> <b>4-sided bevel</b>
Champagne Oak / Russet Oak <b>14x190x1820mm</b> <b>2.075m<sup>2</sup> per pack</b> <b>2-sided bevel (long edge)</b>



# 14mm real wood engineered flooring

TONGUE & GROOVE


Our 14mm real wood engineered floor is not only a truly practical choice but it looks and feels just like a solid wood floor. These two floors exude warmth and character and use the traditional tongue and groove fixing mechanism.

<b>14MM REAL WOOD ENGINEERED</b>
14 x 189 x 1860mm
2.812m <sup>2</sup> per pack
4-sided bevel

<b>KEY FEATURES</b>
Solid oak - 3mm wear layer
Real wood core
Up to 30% starter boards
Tongue & Groove locking system





Suitable for underfloor heating




RURAL OAK



DUSKY OAK



Real wood product images depict a natural product and as a result, each pack contains boards with their own unique natural variations.




14mm real wood engineered flooring


TONGUE & GROOVE

Our new Herringbone 14mm real wood engineered floor is a great new addition to our range. You can achieve the timeless quality of traditional parquet flooring, but with the added advantages of being able to combine this with modern luxuries such as underfloor heating.



<b>14MM REAL WOOD ENGINEERED</b>
14 x 120 x 600mm 0.864m <sup>2</sup> per pack 4-sided bevel
<b>KEY FEATURES</b>
Tongue & Groove UV Oiled & Smoked Solid oak - 3mm wear layer Real wood core



Suitable for underfloor heating



BRAND NEW HERRINGBONE



HERRINGBONE LIGHT SMOKED OAK

Real wood product images depict a natural product and as a result, each pack contains boards with their own unique natural variations.



18mm real wood engineered

flooring

TONGUE & GROOVE



WALNUT



NATIVE OAK

WITH EXCEPTIONAL STRENGTH AND A 4MM REAL WOOD WEAR LAYER, THIS **18MM REAL WOOD ENGINEERED** FLOOR IS DESIGNED TO LAST.


Real wood product images depict a natural product and as a result, each pack contains boards with their own unique natural variations.

# 18mm real wood engineered flooring

TONGUE & GROOVE





This 18mm real wood engineered range provides choice and variety for both modern and traditional environments. It can be used in conjunction with embedded underfloor heating and with excellent thermal and acoustic properties, it will enhance any room in your home.

<b>18MM REAL WOOD ENGINEERED</b> 18 x 150mm x random lengths 4mm wear layer / 4-sided bevel 1.98m <sup>2</sup> per pack
<b>KEY FEATURES</b> Solid 4mm wear layer, rustic grade Available in: Oiled or Lacquered finish Random lengths: 400-1800mm Ensures excellent thermal and acoustic properties



WASHED & SMOKED OAK

Real wood product images depict a natural product and as a result, each pack contains boards with their own unique natural variations.



20-22mm real wood engineered

flooring

TONGUE & GROOVE



BRUSHED & OILED OAK



AUTUMN OAK

Real wood product images depict a natural product and as a result, each pack contains boards with their own unique natural variations.


COMBINE TRADITIONAL ELEGANCE WITH MODERN CONVENIENCE AND ENHANCE YOUR HOME WITH OUR RANGE OF **20-22MM STRUCTURAL REAL WOOD ENGINEERED FLOORING**.

# 20-22mm real wood engineered flooring

TONGUE & GROOVE

This structural engineered flooring is load bearing and suitable for fixing directly to joists. With excellent thermal and acoustic properties, it can be laid over embedded underfloor heating making this a great choice for any room. The wear layer can be resanded but with normal care and attention, this floor will enhance your home for many years to come.

20-22MM REAL WOOD ENGINEERED	
<b>WALNUT</b> 21 x 189 x 1860mm 1.38m <sup>2</sup> per pack 4-sided bevel	<b>OAK 20MM/22MM</b> 20/22 x 189 x 1860mm 2.11m <sup>2</sup> per pack 4-sided bevel




KEY FEATURES
Solid 6mm wear layer on 22/21mm / 4mm wear layer on 20mm
Structural & load bearing, suitable to fix straight to joists
Ensures excellent thermal and acoustic properties
Up to 30% of starter boards included




RUSTIC UV BRUSHED & OILED OAK

Real wood product images depict a natural product and as a result, each pack contains boards with their own unique natural variations.



Unfinished Rustic Oak


TONGUE & GROOVE 22MM



American Black Walnut


UV oiled OR  
UV lacquered finish

TONGUE & GROOVE 21MM




Rustic UV Lacquered Oak

TONGUE & GROOVE 20MM



Rustic UV Brushed & Oiled Oak


TONGUE & GROOVE 20MM



Autumn Oak

UV brushed & oiled  
rustic+ finish

TONGUE & GROOVE 20MM



Copper Oak

UV brushed & oiled  
rustic+ finish

TONGUE & GROOVE 20MM



# EVERYTHING YOU NEED TO PREPARE, FIX, FINISH AND MAINTAIN YOUR ELKA FLOOR



## PREPARE PAGES 48-49

To achieve the perfect finish and ensure good performance, preparation from the ground up is key.

## FIX / FINISH PAGES 50-53

The Elka range of high performance fixing products provide the right solution for every type of flooring.

## MAINTAIN PAGES 54-55

Keep your wood floor looking as good as the day it was laid with Elka's range of products to maintain the finish of real wood and laminate floors.



EVERYTHING YOU NEED TO PREPARE YOUR ELKA FLOOR

Elka PU Primer and Elka DPM for concrete sub floors help to provide the correct sub floor conditions to lay your elka floor. They are suitable for use prior to fitting all types of flooring - laminate, real wood engineered and solid wood flooring.



## ELKA PU PRIMER

Coverage: 25m<sup>2</sup> when used as directed, instructions on packaging

One part polyurethane primer  
Water free - moisture cure polyurethane liquid resin  
Designed for treating concrete floors prior to laying wooden flooring  
Ensures trouble-free adhesion to dusty screeds  
Assists in sub floor repair and patching

Suitable prior to fitting **laminate, real wood engineered** and **solid** flooring



5 Litre

## ELKA 1 COAT DPM MEMBRANE

Coverage: 12m<sup>2</sup> when used as directed, instructions on packaging

Fast curing / 2 part pack ready to mix  
Provides a moisture barrier against concrete floors  
Suppresses moisture in concrete floors up to 95% RH (Relative humidity)  
Eliminates risk of moisture transmitting from newly poured concrete into your flooring

Suitable prior to fitting **laminate, real wood engineered** and **solid** flooring



5Kg

## ELKA Lay



3MM UNDERLAY

Handy lightweight 15m<sup>2</sup> roll  
Robust 3mm underlay for use with **laminate** and **real wood engineered** flooring

L: 15m W: 1m Thick: 3mm

## ELKA DUO Lay



3MM UNDERLAY WITH VPB VAPOUR PROOF BARRIER

Handy lightweight 15m<sup>2</sup> roll  
Robust 3mm underlay for use with **laminate** and **real wood engineered** flooring  
Includes laminated Vapour Proof Barrier (VPB) back for concrete ground floor installations  
Suitable for underfloor heating

L: 15m W: 1m Thick: 3mm



## ELKA COMFORT



5MM UNDERLAY WITH CUSHIONED SUPPORT / VPB / SOUND PROOFING

Handy lightweight 15m<sup>2</sup> roll  
Luxury 5mm underlay for use with **laminate** and **real wood engineered** flooring  
20db sound reduction  
Low thermal resistance  
Cushioned support increases underfoot comfort  
Shock absorbent / vapour barrier  
Exceptional acoustic insulation performance  
Suitable for embedded underfloor heating  
Integrated VPB system

L: 15m W: 1m Thick: 5mm

## ELKA QT Lay



5MM UNDERLAY WITH VPB / SOUND PROOFING

Handy lightweight 15m<sup>2</sup> roll  
Luxury 5mm underlay for use with **laminate** and **real wood engineered** flooring  
Floor levelling characteristics  
Exceptional acoustic insulation performance  
22db sound reduction  
Shock absorbent / vapour barrier  
Integrated VPB system  
Suitable for embedded underfloor heating  
Low thermal resistance: 0.70 tog  
Cushioned support increases underfoot comfort

L: 15m W: 1m Thick: 5mm

## ELKA 301 Lay



3MM UNDERLAY WITH SOUND PROOFING / SELF ADHESIVE

Handy lightweight 10m<sup>2</sup> roll  
Luxury 3mm underlay for use with **solid** floors up to 150mm and **real wood engineered** floors up to 190mm  
Specialist installation over hard surface substrates  
Noise reducing, shock absorbent - impressive 22db sound reduction  
Foil backing with 50mm tape overlap  
Self adhesive - bonds floor directly to underlay

L: 10m W: 1m Thick: 3mm

EVERYTHING YOU NEED TO FIX YOUR ELKA FLOOR

Our specialist range of high performance fixing products that are safe, simple and cost effective solutions for installing elka flooring.

### ELKA GRIP

QUALITY ADHESIVE FOR USE WITH ELKA TONGUE & GROOVE REAL WOOD ENGINEERED FLOORING



500ml

A specialist D3 rated high quality resin based wood adhesive for use when fixing engineered flooring panels with a tongue & grooved system.

#### Features and Advantages

- High strength impact resistant bond that is stronger than wood itself
- Dries clear
- Coverage 6 -10m<sup>2</sup> of T&G (dependent on the depth of the flooring groove)
- Easy clean-up using a damp cloth
- Handy 500ml bottle



Suitable for use with **real wood engineered** flooring.

### ELKA TONGUE TITE

SUPERB PRODUCT FOR SCREW FIXING SOLID OR REAL WOOD ENGINEERED (18MM+) FLOORING TO ANY WOOD SUBSTRATE



200 no. per box and 1 no. adaptor bit

Designed to fix tongue & groove flooring, these 3.5x45mm screws feature the smallest heads ever, enabling them to be countersunk tidily into the rebate above the tongue so as to offer no obstruction to the matching groove on the next board.

#### Features and Advantages

- No need for glue or to hire a nail gun, drill bit is included in every pack
- Easy to install in difficult locations
- If necessary, you can remove boards without damage in order to gain access to underfloor plumbing etc.
- No need to drill pilot holes, even in hardwoods.
- One size fits all boards (3.5 x 45mm)
- Boxed in 200's (covers up to 10m<sup>2</sup>)



Suitable for use with **solid** and **real wood engineered** flooring.

### ELKA FITTING KIT

FOR FITTING LAMINATE AND MOST UNICLIC® FLOORING QUICKLY AND EASILY.



1 tapping block, 1 pull bar and 40 spacers

Designed to make fitting your Uniclic® floor as easy as possible without risk of damaging it.

#### Features and Advantages

- The spacers maintain an expansion gap around perimeter
- Pull bar allows you to pull planks together at the end of rows
- Tapping block protects edges of the boards when tapping them together



Suitable for use with **laminate** and **real wood engineered** flooring.

### ELKA BOND RIGID

HEAVY DUTY SYNTHETIC POLYMER FOR A RIGID BOND.

#### Features and Advantages

For bonding solid and engineered flooring to concrete, cementitious screeds, flooring grade plywood, chipboard, hardboard and smoothing compounds where applicable.

Coverage: 16m<sup>2</sup> when used as directed, instructions on packaging

Suitable for use with **solid** and **real wood engineered** flooring.



### ELKA BOND FLEX

ELKA BOND FLEX ADHESIVE RANGE IS BASED ON THE LATEST DEVELOPMENTS IN HYBRID TECHNOLOGY AND HAS THE FOLLOWING KEY BENEFITS:

#### Features and Advantages

- 100% active, solvent and water-free
- Permanently flexible - compensates for wood and sub floor movement
- Will bond wood directly to all common sub floors
- Low odour
- Excellent gap filling properties for uneven surfaces
- Plyable product gives excellent sound reduction properties

Range is suitable for use with **solid** and **real wood engineered** flooring.

### ELKA BOND DIY FLEX

Coverage: 1m<sup>2</sup> when used as directed, instructions on packaging



### ELKA BOND TRADE FLEX

Pack includes, reusable gun, wipes and nozzles. Trade pack refill cartridges also available (packs of 12)

Coverage: 18m<sup>2</sup> when used as directed, instructions on packaging



### ELKA BOND TROWEL FLEX

2 x 7kg foil packs Pack includes trowel and wipes

Coverage: 14m<sup>2</sup> when used as directed, instructions on packaging





EVERYTHING YOU NEED TO FINISH YOUR ELKA FLOOR

LAMINATE

LAMINATE PROFILES AND ADAPTORS SUITABLE FOR LAMINATE FLOORING.

The best flooring profile is no profile at all. But that's technically not possible because laminate floors may move as the result of relative humidity and ambient temperature. That's why we have come up with a new 3in1 SmartProfile that is almost invisible (narrow and flat - only 2mm) and closely matches the laminate floors. It's a combination of an adapting profile, expansion profile and edge profile, all in a single profile.



**1** Expansion Profile 1850 x 33.4 x 10.5 mm  
**2** Adaptor Profile 1850 x 43.7 x 12.5 mm  
**3** Edge Profile 1850 x 33.4 x 12.5 mm


FEATURES AND ADVANTAGES OF THE 3IN1 LAMINATE PROFILE

Laminate wood finish	Flexible - 3 profiles in 1
Simply trim to the required profile type using the trimmer included in each pack	Extra height adjustment can be gained when applied using Elka bond

Length: 1850mm, ideal for two door widths  
 Suitable for use on floors between 8-12mm with the supporting adjustable track provided

ELKA SCOTIA PROFILE

The Elka Scotia Profile camouflages the expansion joint between an existing skirting and a newly installed Elka laminate floor. These scotia profiles can be fixed with either Elka bond or by nailing. With finishes that closely match your elka laminate floor, it's the perfect solution.



REAL WOOD ENGINEERED /SOLID

REAL WOOD PROFILES AND ADAPTORS SUITABLE FOR SOLID AND REAL WOOD ENGINEERED FLOORING.

Elka 3in1 Real Wood Profile is a flexible finishing profile designed to complete your real wood flooring utilising the latest design technology with a practical multifunctional profile moulding. This easy-to-use profile allows you to simply trim off the area of the product not required to create one of three finishing solutions.




**1** Expansion Profile to cover expansion gaps between two adjacent flooring products of the same height.  
**2** Adaptor Profile for use when finishing between two adjoining floor coverings where the adjacent floor covering is of a lower height e.g. carpets or vinyl.  
**3** Edge Profile to finish the flooring where a dressed edge is required eg. against a wall or window.

FEATURES AND ADVANTAGES OF THE 3IN1 REAL WOOD PROFILE

Real wood veneer finish	Flexible - 3 profiles in 1
Simply trim to the required profile type using the trimmer included in each pack	Extra height adjustment can be gained when applied using elka bond

Available in two lengths:  
 930mm in lacquered white oak, unfinished\* white oak and walnut  
 2150mm in lacquered white oak or unfinished\* white oak.  
 Suitable for use on floors between 14-22mm with the supporting adjustable track provided

\*Unfinished white oak allows the flexibility to either oil, stain or lacquer the profile on-site to match your floor.



ELKA OAK SCOTIA PROFILE

The Elka Oak Scotia Profile is made from lacquered real wood veneer and provides the perfect finish to a newly installed Elka real wood engineered or solid wood floor. It can be glued or nailed for quick and easy placing. It is the perfect finish for your solid or real wood engineered floor.



EVERYTHING YOU NEED TO MAINTAIN YOUR ELKA FLOOR

Our Elka **Clean and Protect** range is designed to be quick and easy to use, no specialist polishing required. Perfect for today's modern lifestyle, leaving you time to enjoy your home! All items are available to purchase in kit form or individually. The range also includes a Scuff Mark Remover which will remove stubborn scuff marks without damaging your floor.



Clean + Protect kit for **oiled** real wood flooring

This kit contains everything you need to clean and protect your **oiled** wood floor. Contents include an All Purpose Cleaner, an All Purpose Cleaner Concentrate and a Protector specially formulated for oiled real wood flooring.



Clean + Protect kit for **lacquered** real wood flooring

This kit contains everything you need to clean and protect your **lacquered** wood floor. Contents include an All Purpose Cleaner, an All Purpose Cleaner Concentrate and a Protector specially formulated for lacquered real wood flooring.



0.5 Litre

**ALL PURPOSE CLEANER**

Ideal for removing everyday dirt and grime or as spot stain removers. Suitable for frequent use on **laminated, lacquered & oiled** finished floors.

**ALL PURPOSE CLEANER Concentrate**



0.5 Litre

**OILED FINISH PROTECTOR**

Protect your **real wood** floor against abrasion, scuffs and stains. Use regularly to keep your floor in good condition. Elka Scuff Mark Remover is a gentle, non-abrasive, residue-free cleaner formulated to remove stubborn scuff marks without damaging your floor.

**LACQUERED FINISH PROTECTOR**

**SCUFF MARK REMOVER**

CARING FOR YOUR ELKA FLOOR

It's so easy to care for your Elka floor. Laminate flooring is not only easy to clean, it's hygienic too. In fact, the sealed surface prevents bacteria accumulating on the floor which is great for the prevention of allergies. In general, we recommend dry cleaning the floor with a microfibre duster. Occasionally, damp cleaning can be done using an almost dry mop. Never use a steam cleaner or wet mop your Elka floor as this will cause damage not covered by the warranty.

Real wood engineered and solid wood floors are natural products that improve as the floor ages, but to keep them looking in top condition you can top up the oil or lacquer finish. Daily cleaning requires little more than a good sweep or dry mopping. By quickly wiping up any spills immediately, you can prevent stains occurring. You can spray on a spot cleaner to deal with the mess quickly and easily. More stubborn scuff marks can be tackled with our specialist remover, minimising the risk of damaging your floor. Follow these simple steps to ensure that your floor remains looking good for many years to come.

DAILY MAINTENANCE

Sweep or vacuum your floor regularly to prevent grit and dust accumulating and scratching the surface.

Use protective pads under all furniture to prevent scratches.

Use door mats at your external doors to prevent grit and small stones being carried into the home.

Wipe up any spills immediately. Never allow any liquid to remain on the floor.

Stains should be removed immediately while they are still wet and after removal, wipe floor dry.


Do not use general household cleaners as these may dull or damage the surface. They may even leave a film residue which could make the floor slippery and more difficult to clean.

PERIODIC MAINTENANCE


Oiled and lacquered finish real wood floors benefit from reapplication of Elka Protector approximately once every six months. The advantage of this very simple maintenance step is that, with regular treatment, you can keep your floor looking as good as new. It also 'tops up' the protective barrier against abrasions, scuffs and stains.

In areas of high traffic, for example, in a hallway, your floor may start to look a little worn. You can treat this particular area as and when you feel necessary, to keep it looking in tip top condition.

# ELKA FLOORING PRODUCT OVERVIEW



laminate flooring



real wood engineered flooring



solid wood flooring

Elka laminate flooring can be used either with or without underfloor heating. Simple and quick to install with the unique Uniclic® system, it's ideal for DIY projects. It is hardwearing so it will remain as pristine and beautiful as the day it was installed.

Elka engineered flooring is a practical product, chosen for its strength, flexibility of installation and stability. It perfectly mimics a solid wood floor, but is made of three or more layers of real wood with an upper layer of genuine hardwood.

Solid wood flooring is a completely natural product, the grains and colours of Elka solid wood flooring create an ambience with real character and a sense of long life and permanence. Elka solid wood flooring will add beauty and elegance to any interior.

laminate flooring

**8mm**

<p>AUBURN OAK <b>NEW</b></p> <p>UNICLIC PEFC</p> <p>PRODUCT: ELV954 PACK SIZE: 2.162m<sup>2</sup> PACKS/PALLET: 52</p>	<p>COUNTRY OAK <b>NEW</b></p> <p>UNICLIC PEFC</p> <p>PRODUCT: ELV958 PACK SIZE: 2.162m<sup>2</sup> PACKS/PALLET: 52</p>	<p>DRIFTWOOD OAK <b>NEW</b></p> <p>UNICLIC PEFC</p> <p>PRODUCT: ELV017 PACK SIZE: 2.162m<sup>2</sup> PACKS/PALLET: 52</p>	<p>FROSTED OAK <b>NEW</b></p> <p>UNICLIC PEFC</p> <p>PRODUCT: ELV705 PACK SIZE: 2.162m<sup>2</sup> PACKS/PALLET: 52</p>
<p>RUSTIC OAK <b>NEW</b></p> <p>UNICLIC PEFC</p> <p>PRODUCT: ELV254 PACK SIZE: 2.162m<sup>2</sup> PACKS/PALLET: 52</p>	<p>HONEY OAK <b>NEW</b></p> <p>UNICLIC PEFC</p> <p>PRODUCT: ELV957 PACK SIZE: 2.162m<sup>2</sup> PACKS/PALLET: 52</p>	<p>PEBBLE OAK <b>NEW</b></p> <p>UNICLIC PEFC</p> <p>PRODUCT: ELV018 PACK SIZE: 2.162m<sup>2</sup> PACKS/PALLET: 52</p>	<p>SMOKED OAK <b>NEW</b></p> <p>UNICLIC PEFC</p> <p>PRODUCT: ELV959 PACK SIZE: 2.162m<sup>2</sup> PACKS/PALLET: 52</p>

**12mm AC5**

<p>BARN OAK <b>NEW</b></p> <p>UNICLIC PEFC</p> <p>PRODUCT: ELT913 PACK SIZE: 1.4413m<sup>2</sup> PACKS/PALLET: 52</p>	<p>CINNAMON OAK <b>NEW</b></p> <p>UNICLIC PEFC</p> <p>PRODUCT: ELT636 PACK SIZE: 1.4413m<sup>2</sup> PACKS/PALLET: 52</p>	<p>RECLAIMED OAK <b>NEW</b></p> <p>UNICLIC PEFC</p> <p>PRODUCT: ELT968 PACK SIZE: 1.4413m<sup>2</sup> PACKS/PALLET: 52</p>	<p>SALVAGED OAK <b>NEW</b></p> <p>UNICLIC PEFC</p> <p>PRODUCT: ELT973 PACK SIZE: 1.4413m<sup>2</sup> PACKS/PALLET: 52</p>
<p>TOASTED OAK <b>NEW</b></p> <p>UNICLIC PEFC</p> <p>PRODUCT: ELT969 PACK SIZE: 1.4413m<sup>2</sup> PACKS/PALLET: 52</p>	<p>WEATHERED OAK <b>NEW</b></p> <p>UNICLIC PEFC</p> <p>PRODUCT: ELT019 PACK SIZE: 1.4413m<sup>2</sup> PACKS/PALLET: 52</p>		

real wood engineered flooring

**12.5mm**

<p>DOUBLE WHITE OAK</p> <p>UNICLIC PEFC</p> <p>PRODUCT: ELKABMLDWOAK PACK SIZE: 1.583m<sup>2</sup> PACKS/PALLET: 66</p>	<p>CLASSIC WHITE OAK</p> <p>UNICLIC PEFC</p> <p>PRODUCT: ELKABMLWOAK PACK SIZE: 1.583m<sup>2</sup> PACKS/PALLET: 66</p>	<p>GOLDEN OAK</p> <p>UNICLIC PEFC</p> <p>PRODUCT: ELKABMLGOAK PACK SIZE: 1.583m<sup>2</sup> PACKS/PALLET: 66</p>	<p>ANTIQUE OAK</p> <p>UNICLIC PEFC</p> <p>PRODUCT: ELKABMLAOAK PACK SIZE: 1.583m<sup>2</sup> PACKS/PALLET: 66</p>
---	---	--	---

**14mm**

<p>CHAMPAGNE UV B&amp;O OAK</p> <p>UNICLIC</p> <p>PRODUCT: ELKA14CHAMP PACK SIZE: 2.075m<sup>2</sup> PACKS/PALLET: 55</p>	<p>RUSTIC UV B&amp;O OAK</p> <p>UNICLIC</p> <p>PRODUCT: ELKA14BOROAKUC PACK SIZE: 2.075m<sup>2</sup> PACKS/PALLET: 55</p>	<p>RUSTIC UV LACQUERED OAK</p> <p>UNICLIC</p> <p>PRODUCT: ELKA14LROAKUC PACK SIZE: 2.075m<sup>2</sup> PACKS/PALLET: 55</p>	<p>TRUFFLE OAK</p> <p>UNICLIC</p> <p>PRODUCT: ELKA14TRUFFLE PACK SIZE: 2.075m<sup>2</sup> PACKS/PALLET: 55</p>
<p>SUPER RUSTIC OAK</p> <p>UNICLIC</p> <p>PRODUCT: ELKA14SROAK PACK SIZE: 2.075m<sup>2</sup> PACKS/PALLET: 55</p>	<p>CARAMEL OAK</p> <p>UNICLIC</p> <p>PRODUCT: ELKA14CAMEL PACK SIZE: 2.075m<sup>2</sup> PACKS/PALLET: 55</p>	<p>RUSSET UV B&amp;O OAK</p> <p>UNICLIC</p> <p>PRODUCT: ELKA14RUSSET PACK SIZE: 2.075m<sup>2</sup> PACKS/PALLET: 55</p>	
<p>RURAL OAK</p> <p>TONGUE &amp; GROOVE</p> <p>PRODUCT: ELKA14RURAL PACK SIZE: 2.812m<sup>2</sup> PACKS/PALLET: 40</p>	<p>DUSKY OAK</p> <p>TONGUE &amp; GROOVE</p> <p>PRODUCT: ELKA14DUSKYOAK PACK SIZE: 2.812m<sup>2</sup> PACKS/PALLET: 40</p>	<p>HERRINGBONE LIGHT SMOKED OAK <b>NEW</b></p> <p>TONGUE &amp; GROOVE</p> <p>PRODUCT: ELKA14HBLSOAK PACK SIZE: 0.864m<sup>2</sup> PACKS/PALLET: 80</p>	<p>HERRINGBONE DARK SMOKED OAK <b>NEW</b></p> <p>TONGUE &amp; GROOVE</p> <p>PRODUCT: ELKA14HBDSOAK PACK SIZE: 0.864m<sup>2</sup> PACKS/PALLET: 80</p>

**18mm**

<p>WASHED &amp; SMOKED OAK</p> <p>TONGUE &amp; GROOVE</p> <p>PRODUCT: ELKA18W&amp;SOAK PACK SIZE: 1.98m<sup>2</sup> PACKS/PALLET: 56</p>	<p>ENHANCED OAK</p> <p>TONGUE &amp; GROOVE</p> <p>PRODUCT: ELKA18ENHANCEDOAK PACK SIZE: 1.98m<sup>2</sup> PACKS/PALLET: 56</p>	<p>NATIVE OAK</p> <p>TONGUE &amp; GROOVE</p> <p>PRODUCT: ELKA18NATIVEOAK PACK SIZE: 1.98m<sup>2</sup> PACKS/PALLET: 56</p>	<p>WALNUT</p> <p>TONGUE &amp; GROOVE</p> <p>PRODUCT: ELKA18LBWALNUT PACK SIZE: 1.98m<sup>2</sup> PACKS/PALLET: 56</p>
--	--	--	---

**20-22mm**

<p>UNFINISHED RUSTIC OAK</p> <p>TONGUE &amp; GROOVE 22MM</p> <p>PRODUCT: ELKA22RUOAK PACK SIZE: 2.11m<sup>2</sup> PACKS/PALLET: 35</p>	<p>AMERICAN BLACK WALNUT UV OILED FINISH</p> <p>TONGUE &amp; GROOVE 21MM</p> <p>PRODUCT: ELKA21OBWALNUT PACK SIZE: 1.38m<sup>2</sup> PACKS/PALLET: 55</p>	<p>AMERICAN BLACK WALNUT UV LACQUERED FINISH</p> <p>TONGUE &amp; GROOVE 21MM</p> <p>PRODUCT: ELKA21LBWALNUT PACK SIZE: 1.38m<sup>2</sup> PACKS/PALLET: 55</p>	
<p>RUSTIC UV LACQUERED OAK</p> <p>TONGUE &amp; GROOVE 20MM</p> <p>PRODUCT: ELKA20RUVLOAK PACK SIZE: 2.11m<sup>2</sup> PACKS/PALLET: 35</p>	<p>RUSTIC UV B&amp;O OAK</p> <p>TONGUE &amp; GROOVE 20MM</p> <p>PRODUCT: ELKA20RB00AK PACK SIZE: 2.11m<sup>2</sup> PACKS/PALLET: 35</p>	<p>AUTUMN OAK</p> <p>TONGUE &amp; GROOVE 20MM</p> <p>PRODUCT: ELKA20AUTUMNOAK PACK SIZE: 2.11m<sup>2</sup> PACKS/PALLET: 35</p>	<p>COPPER OAK</p> <p>TONGUE &amp; GROOVE 20MM</p> <p>PRODUCT: ELKA20COPPEROAK PACK SIZE: 2.11m<sup>2</sup> PACKS/PALLET: 35</p>

solid wood flooring

**18mm**

<p>RUSTIC UV LACQUERED OAK</p> <p>TONGUE &amp; GROOVE FSC</p> <p>PRODUCT: ELKA1300AKRUSFSC15 PACK SIZE: 2.184m<sup>2</sup> PACKS/PALLET: 48</p>	<p>RUSTIC UV B&amp;O OAK</p> <p>TONGUE &amp; GROOVE FSC</p> <p>PRODUCT: ELKA130B00AKFSC15 PACK SIZE: 2.184m<sup>2</sup> PACKS/PALLET: 48</p>	<p>GOLDEN OAK</p> <p>TONGUE &amp; GROOVE FSC</p> <p>PRODUCT: ELKA130G0LOAKFSC15 PACK SIZE: 2.184m<sup>2</sup> PACKS/PALLET: 48</p>	<p>ANTIQUE OAK</p> <p>TONGUE &amp; GROOVE FSC</p> <p>PRODUCT: ELKA130ANTOAKFSC15 PACK SIZE: 2.184m<sup>2</sup> PACKS/PALLET: 48</p>
---	--	--	---



To achieve the perfect finish and ensure good performance, preparation from the ground up is key. Elka's range of primers, DPM's and underlays complements its flooring range to overcome the most common problems.



The Elka range of high performance products provide the right solution to fix every type of flooring. They are safe, simple and cost effective solutions for installing elka flooring.



With Elka accessories, the right solution is always at hand to finish the job. From real wood veneer profiles and scotia to complement real wood flooring, to the easy-to-use 3in1 profiles that allow you to simply trim off the area of the product not required.

## PREPARE



ELKA PRIMER  
610513



ELKA LAY  
609920



ELKA DUO LAY  
609919



ELKA 1 COAT DPM  
609947



ELKA COMFORT LAY  
613127



ELKA QT LAY  
609964



ELKA 3 IN 1 LAY  
610515

## FIX



ELKA GRIP  
609957



ELKA TONGUE TITE  
609969



ELKA FITTING KIT  
610436



ELKA BOND RIGID  
609965



ELKA BOND DIY FLEX  
609956



ELKA BOND TRADE FLEX  
609970



ELKA BOND TROWEL FLEX  
609972

ELKA BOND TRADE FLEX REFILL  
609971

## LAMINATE PROFILES



### ELKA 3 IN 1 PROFILE

- ELV705 SFPT60705
- ELV957 SFP60957
- ELV954 SFPT60328
- ELV018 SFP60018
- ELV017 SFP60049
- ELV958 SFP60062
- ELV959 SFP60959
- ELV254N SFP01457
- ELT913 SFPT60913
- ELT969 SFPT60969
- ELT973 SFPT60086
- ELT968 SFPT60557
- ELT019 SFPT60019
- ELT636 SFPT60636



ELKA SCOTIA

### ELKA LAMINATE SCOTIA

- ELV705 SFSC60705
- ELV957 SFSC60957
- ELV954 SFSC60328
- ELV018 SFSC60018
- ELV017 SFSC60049
- ELV958 SFSC60062
- ELV959 SFSC60959
- ELV254N SFSC01457
- ELT913 SFSC60913
- ELT969 SFSC60041
- ELT973 SFSC60086
- ELT968 SFSC60557
- ELT019 SFSC60019
- ELT636 SFSC60636

## REAL WOOD PROFILES



### ELKA 3 IN 1 REAL WOOD PROFILE

- 2.15 WHITE OAK 609954
- 2.15 UNFINISHED OAK 609951
- 0.93 WHITE OAK 609955
- 0.93 UNFINISHED OAK 609952
- 0.93 WALNUT 609953



ELKA OAK SCOTIA PROFILE  
609966

## FINISH



CLEAN & PROTECT FOR OILED WOOD FLOORING  
613359



CLEAN & PROTECT FOR LACQUERED WOOD FLOORING  
613360



ALL PURPOSE CLEANER FOR WOOD FLOORING  
611387



ALL PURPOSE CLEANER CONCENTRATE  
611386



OILED FINISH PROTECTOR  
613217



LACQUERED FINISH PROTECTOR  
613218



SCUFF MARK REMOVER  
613216

## MAINTAIN

# elka®

[www.elkaflooring.co.uk](http://www.elkaflooring.co.uk)

 **UNILIN**  
UNILIN DISTRIBUTION LTD

**HEAD OFFICE**

Unit 5, Rampart Business Centre  
Greenbank Industrial Estate  
Newry, County Down  
BT34 2QU  
T: +44 (0) 28 3025 0477  
from ROI: 048 3025 0477  
F: +44 (0) 28 3025 0223

**DISTRIBUTION CENTRE**

Unit 4, The Furrows  
Barton Dock Road  
Trafford Park  
Manchester  
M32 0SZ  
T: 0844 8118 288  
F: 0844 8118 289

