



elka

designer
floors
for living

EVERYTHING YOU NEED TO PREPARE, FIX, FINISH AND MAINTAIN YOUR ELKA FLOOR



PREPARE

PAGES 48-49

To achieve the perfect finish and ensure good performance, preparation from the ground up is key.

FIX / FINISH

PAGES 50-53

The Elka range of high performance fixing products provide the right solution for every type of flooring.

MAINTAIN

PAGES 54-55

Keep your wood floor looking as good as the day it was laid with Elka's range of products to maintain the finish of real wood and laminate floors.

Elka PU Primer and Elka DPM for concrete sub floors help to provide the correct sub floor conditions to lay your elka floor. They are suitable for use prior to fitting all types of flooring – laminate, real wood engineered and solid wood flooring.



elka PU PRIMER

Coverage: 25m²
when used as directed,
instructions on packaging

One part polyurethane primer
Water free – moisture cure polyurethane liquid resin
Designed for treating concrete floors prior to laying wooden flooring
Ensures trouble-free adhesion to dusty screeds
Assists in sub floor repair and patching

Suitable prior to fitting **laminate**,
real wood engineered and **solid** flooring



5 Litre

elka 1 COAT DPM MEMBRANE

Coverage: 12m²
when used as directed,
instructions on packaging

Fast curing / 2 part pack ready to mix
Provides a moisture barrier against concrete floors
Suppresses moisture in concrete floors up to 95% RH (Relative humidity)
Eliminates risk of moisture transmitting from
newly poured concrete into your flooring

Suitable prior to fitting **laminate**,
real wood engineered and **solid** flooring



5Kg

elka lay



3MM UNDERLAY

Handy lightweight 15m² roll
Robust 3mm underlay for use with **laminate**
and **real wood engineered** flooring

L: 15m W: 1m Thick: 3mm

elka DUO lay



3MM UNDERLAY WITH
VPB VAPOUR PROOF BARRIER

Handy lightweight 15m² roll
Robust 3mm underlay for use with **laminate**
and **real wood engineered** flooring
Includes laminated Vapour Proof Barrier (VPB)
back for concrete ground floor installations
Suitable for underfloor heating

L: 15m W: 1m Thick: 3mm



elka COMFORT



5MM UNDERLAY WITH
CUSHIONED SUPPORT / VPB / SOUND PROOFING

Handy lightweight 15m² roll
Luxury 5mm underlay for use with **laminate**
and **real wood engineered** flooring
20db sound reduction
Low thermal resistance
Cushioned support increases underfoot comfort
Shock absorbent / vapour barrier
Exceptional acoustic insulation performance
Suitable for embedded underfloor heating
Integrated VPB system

L: 15m W: 1m Thick: 5mm

elka QT lay



5MM UNDERLAY WITH
VPB / SOUND PROOFING

Handy lightweight 15m² roll
Luxury 5mm underlay for use with **laminate**
and **real wood engineered** flooring
Floor levelling characteristics
Exceptional acoustic insulation performance
22db sound reduction
Shock absorbent / vapour barrier
Integrated VPB system
Suitable for embedded underfloor heating
Low thermal resistance: 0.70 tog
Cushioned support increases underfoot comfort

L: 15m W: 1m Thick: 5mm

elka 3in1 lay



3MM UNDERLAY WITH
SOUND PROOFING / SELF ADHESIVE

Handy lightweight 10m² roll
Luxury 3mm underlay for use with **solid** floors
up to 150mm and **real wood engineered**
floors up to 190mm
Specialist installation over hard surface substrates
Noise reducing, shock absorbent – impressive
22db sound reduction
Foil backing with 50mm tape overlap
Self adhesive – bonds floor directly to underlay

L: 10m W: 1m Thick: 3mm

Our comprehensive range of underlay is designed to protect and secure your Elka floor. Elka lay is perfect for any location, but you may prefer to choose the added advantages of VPB, additional cushioning underfoot and sound proofing. Elka 3in1 lay has a practical integrated adhesive system for ease of installation of solid and engineered flooring. All our other underlays are suitable for use with laminate and real wood engineered flooring.

EVERYTHING YOU NEED TO
FIX YOUR ELKA FLOOR

Our specialist range of high performance fixing products that are safe, simple and cost effective solutions for installing elka flooring.

ELKA
GRIP

QUALITY ADHESIVE FOR USE WITH
ELKA TONGUE & GROOVE REAL
WOOD ENGINEERED FLOORING



500ml

A specialist D3 rated high quality resin based wood adhesive for use when fixing engineered flooring panels with a tongue & grooved system.

Features and Advantages

- High strength impact resistant bond that is stronger than wood itself
- Dries clear
- Coverage 6 -10m² of T&G (dependent on the depth of the flooring groove)
- Easy clean-up using a damp cloth
- Handy 500ml bottle



Suitable for use with **real wood engineered** flooring.

ELKA
TONGUE TITE®

SUPERB PRODUCT FOR SCREW FIXING
SOLID OR REAL WOOD ENGINEERED (18MM+)
FLOORING TO ANY WOOD SUBSTRATE



200 no. per box and 1 no. adaptor bit

Designed to fix tongue & groove flooring, these 3.5x45mm screws feature the smallest heads ever, enabling them to be countersunk tidily into the rebate above the tongue so as to offer no obstruction to the matching groove on the next board.

Features and Advantages

- No need for glue or to hire a nail gun, drill bit is included in every pack.
- Easy to install in difficult locations
- If necessary, you can remove boards without damage in order to gain access to underfloor plumbing etc.
- No need to drill pilot holes, even in hardwoods.
- One size fits all boards (3.5 x 45mm)
- Boxed in 200's (covers up to 10m²)



Suitable for use with **solid** and **real wood engineered** flooring.

ELKA
FITTING KIT

FOR FITTING **LAMINATE**
AND MOST UNICLIC® FLOORING
QUICKLY AND EASILY.



1 tapping block, 1 pull bar and 40 spacers

Designed to make fitting your Uniclic® floor as easy as possible without risk of damaging it.

Features and Advantages

- The spacers maintain an expansion gap around perimeter
- Pull bar allows you to pull planks together at the end of rows
- Tapping block protects edges of the boards when tapping them together



Suitable for use with **laminate** and **real wood engineered** flooring.

ELKA
BOND
RIGID

HEAVY DUTY SYNTHETIC
POLYMER FOR A RIGID BOND.

Features and Advantages

- For bonding solid and engineered flooring to concrete, cementitious screeds, flooring grade plywood, chipboard, hardboard and smoothing compounds where applicable.

- Coverage: 16m² when used as directed, instructions on packaging
- Suitable for use with **solid** and **real wood engineered** flooring.



10 Litre

ELKA
BOND
FLEX

ELKA BOND FLEX ADHESIVE RANGE IS BASED ON THE LATEST DEVELOPMENTS IN HYBRID TECHNOLOGY AND HAS THE FOLLOWING KEY BENEFITS:

Features and Advantages

- 100% active, solvent and water-free
- Permanently flexible – compensates for wood and sub floor movement
- Will bond wood directly to all common sub floors
- Low odour
- Excellent gap filling properties for uneven surfaces
- Plyable product gives excellent sound reduction properties

Range is suitable for use with **solid** and **real wood engineered** flooring.

ELKA
BOND
DIY
FLEX

- Coverage: 1m² when used as directed, instructions on packaging



300ml

ELKA
BOND
TRADE
FLEX

- Pack includes, reusable gun, wipes and nozzles. Trade pack refill cartridges also available (packs of 12)

- Coverage: 18m² when used as directed, instructions on packaging



9 x 600ml foils

ELKA
BOND
TROWEL
FLEX

- 2 x 7kg foil packs
- Pack includes trowel and wipes

- Coverage: 14m² when used as directed, instructions on packaging




14kg

EVERYTHING YOU NEED TO
FINISH YOUR ELKA FLOOR

LAMINATE

LAMINATE PROFILES AND
ADAPTORS SUITABLE FOR
LAMINATE FLOORING.

The best flooring profile is no profile at all. But that's technically not possible because laminate floors may move as the result of relative humidity and ambient temperature. That's why we have come up with a new 3in1 SmartProfile that is almost invisible (narrow and flat - only 2mm) and closely matches the laminate floors. It's a combination of an adapting profile, expansion profile and edge profile, all in a single profile.



Expansion Profile
1850 x 33.4 x 10.5 mm



Adaptor Profile
1850 x 43.7 x 12.5 mm



Edge Profile
1850 x 33.4 x 12.5 mm

FEATURES AND ADVANTAGES OF THE 3IN1 LAMINATE PROFILE

- | | |
|--|--|
| Laminate wood finish | Flexible - 3 profiles in 1 |
| Simply trim to the required profile type using the trimmer included in each pack | Extra height adjustment can be gained when applied using Elka bond |

Length: 1850mm, ideal for two door widths
Suitable for use on floors between 8-12mm with the supporting adjustable track provided

elka SCOTIA PROFILE

The Elka Scotia Profile camouflages the expansion joint between an existing skirting and a newly installed Elka laminate floor. These scotia profiles can be fixed with either Elka bond or by nailing. With finishes that closely match your elka laminate floor, it's the perfect solution.



REAL WOOD ENGINEERED /SOLID

REAL WOOD PROFILES AND
ADAPTORS SUITABLE FOR **SOLID** AND
REAL WOOD ENGINEERED FLOORING.



Trim off the area of the product not required using the supplied trimmer.



Elka 3in1 Real Wood Profile is a flexible finishing profile designed to complete your real wood flooring utilising the latest design technology with a practical multifunctional profile moulding. This easy-to-use profile allows you to simply trim off the area of the product not required to create one of three finishing solutions.



Expansion Profile
to cover expansion gaps between two adjacent flooring products of the same height.



Adaptor Profile for use when finishing between two adjoining floor coverings where the adjacent floor covering is of a lower height e.g. carpets or vinyl.



Edge Profile
to finish the flooring where a dressed edge is required eg. against a wall or window.

FEATURES AND ADVANTAGES OF THE 3IN1 REAL WOOD PROFILE

- | | |
|--|--|
| Real wood veneer finish | Flexible - 3 profiles in 1 |
| Simply trim to the required profile type using the trimmer included in each pack | Extra height adjustment can be gained when applied using elka bond |

Available in two lengths:
930mm in lacquered white oak, unfinished* white oak and walnut
2150mm in lacquered white oak or unfinished* white oak.
Suitable for use on floors between 14-22mm with the supporting adjustable track provided

*Unfinished white oak allows the flexibility to either oil, stain or lacquer the profile on-site to match your floor.

elka OAK SCOTIA PROFILE

The Elka Oak Scotia Profile is made from lacquered real wood veneer and provides the perfect finish to a newly installed Elka real wood engineered or solid wood floor. It can be glued or nailed for quick and easy placing. It is the perfect finish for your solid or real wood engineered floor.



EVERYTHING YOU NEED TO
MAINTAIN YOUR ELKA FLOOR

Our Elka **Clean and Protect** range is designed to be quick and easy to use, no specialist polishing required. Perfect for today's modern lifestyle, leaving you time to enjoy your home! All items are available to purchase in kit form or individually. The range also includes a Scuff Mark Remover which will remove stubborn scuff marks without damaging your floor.



Clean + Protect kit for **oiled** real wood flooring

This kit contains everything you need to clean and protect your **oiled** wood floor. Contents include an All Purpose Cleaner, an All Purpose Cleaner Concentrate and a Protector specially formulated for oiled real wood flooring.



Clean + Protect kit for **lacquered** real wood flooring

This kit contains everything you need to clean and protect your **lacquered** wood floor. Contents include an All Purpose Cleaner, an All Purpose Cleaner Concentrate and a Protector specially formulated for lacquered real wood flooring.



0.5 Litre

ALL PURPOSE CLEANER

ALL Concentrate PURPOSE CLEANER

Ideal for removing everyday dirt and grime or as spot stain removers. Suitable for frequent use on **laminate**, **lacquered** & **oiled** finished floors.



0.5 Litre

OILED FINISH PROTECTOR

LACQUERED FINISH PROTECTOR

SCUFF MARK REMOVER

Protect your **real wood** floor against abrasion, scuffs and stains. Use regularly to keep your floor in good condition. Elka Scuff Mark Remover is a gentle, non-abrasive, residue-free cleaner formulated to remove stubborn scuff marks without damaging your floor.

CARING FOR
YOUR ELKA FLOOR

It's so easy to care for your Elka floor. Laminate flooring is not only easy to clean, it's hygienic too. In fact, the sealed surface prevents bacteria accumulating on the floor which is great for the prevention of allergies. In general, we recommend dry cleaning the floor with a microfibre duster. Occasionally, damp cleaning can be done using an almost dry mop. Never use a steam cleaner or wet mop your Elka floor as this will cause damage not covered by the warranty.

Real wood engineered and solid wood floors are natural products that improve as the floor ages, but to keep them looking in top condition you can top up the oil or lacquer finish. Daily cleaning requires little more than a good sweep or dry mopping. By quickly wiping up any spills immediately, you can prevent stains occurring. You can spray on a spot cleaner to deal with the mess quickly and easily. More stubborn scuff marks can be tackled with our specialist remover, minimising the risk of damaging your floor. Follow these simple steps to ensure that your floor remains looking good for many years to come.

- DAILY MAINTENANCE**
- Sweep or vacuum your floor regularly to prevent grit and dust accumulating and scratching the surface.
 - Use protective pads under all furniture to prevent scratches.
 - Use door mats at your external doors to prevent grit and small stones being carried into the home.
 - Wipe up any spills immediately. Never allow any liquid to remain on the floor.
 - Stains should be removed immediately while they are still wet and after removal, wipe floor dry.
 - Do not use general household cleaners as these may dull or damage the surface. They may even leave a film residue which could make the floor slippery and more difficult to clean.

PERIODIC MAINTENANCE

Oiled and lacquered finish real wood floors benefit from reapplication of Elka Protector approximately once every six months. The advantage of this very simple maintenance step is that, with regular treatment, you can keep your floor looking as good as new. It also 'tops up' the protective barrier against abrasions, scuffs and stains.

In areas of high traffic, for example, in a hallway, your floor may start to look a little worn. You can treat this particular area as and when you feel necessary, to keep it looking in tip top condition.

ELKA FLOORING PRODUCT OVERVIEW

laminate flooring

Elka laminate flooring can be used either with or without underfloor heating. Simple and quick to install with the unique Uniclic® system, it's ideal for DIY projects. It is hardwearing so it will remain as pristine and beautiful as the day it was installed.

real wood engineered flooring

Elka engineered flooring is a practical product, chosen for its strength, flexibility of installation and stability. It perfectly mimics a solid wood floor, but is made of three or more layers of real wood with an upper layer of genuine hardwood.

solid wood flooring

Solid wood flooring is a completely natural product, the grains and colours of Elka solid wood flooring create an ambience with real character and a sense of long life and permanence. Elka solid wood flooring will add beauty and elegance to any interior.

laminate flooring			
8mm			
<div>AUBURN OAK</div> <div>UNICLIC</div> <div>PEFC</div> <div>PRODUCT: ELV954 PACK SIZE: 2.162m² PACKS/PALLET: 52</div>	<div>COUNTRY OAK</div> <div>UNICLIC</div> <div>PEFC</div> <div>PRODUCT: ELV958 PACK SIZE: 2.162m² PACKS/PALLET: 52</div>	<div>DRIFTWOOD OAK</div> <div>UNICLIC</div> <div>PEFC</div> <div>PRODUCT: ELV017 PACK SIZE: 2.162m² PACKS/PALLET: 52</div>	<div>FROSTED OAK</div> <div>UNICLIC</div> <div>PEFC</div> <div>PRODUCT: ELV705 PACK SIZE: 2.162m² PACKS/PALLET: 52</div>
<div>RUSTIC OAK</div> <div>UNICLIC</div> <div>PEFC</div> <div>PRODUCT: ELV254 PACK SIZE: 2.162m² PACKS/PALLET: 52</div>	<div>HONEY OAK</div> <div>UNICLIC</div> <div>PEFC</div> <div>PRODUCT: ELV957 PACK SIZE: 2.162m² PACKS/PALLET: 52</div>	<div>PEBBLE OAK</div> <div>UNICLIC</div> <div>PEFC</div> <div>PRODUCT: ELV018 PACK SIZE: 2.162m² PACKS/PALLET: 52</div>	<div>SMOKED OAK</div> <div>UNICLIC</div> <div>PEFC</div> <div>PRODUCT: ELV959 PACK SIZE: 2.162m² PACKS/PALLET: 52</div>

12mm AC5			
<div>BARN OAK</div> <div>UNICLIC</div> <div>PEFC</div> <div>PRODUCT: ELT913 PACK SIZE: 1.4413m² PACKS/PALLET: 52</div>	<div>CINNAMON OAK</div> <div>UNICLIC</div> <div>PEFC</div> <div>PRODUCT: ELT636 PACK SIZE: 1.4413m² PACKS/PALLET: 52</div>	<div>RECLAIMED OAK</div> <div>UNICLIC</div> <div>PEFC</div> <div>PRODUCT: ELT968 PACK SIZE: 1.4413m² PACKS/PALLET: 52</div>	<div>SALVAGED OAK</div> <div>UNICLIC</div> <div>PEFC</div> <div>PRODUCT: ELT973 PACK SIZE: 1.4413m² PACKS/PALLET: 52</div>
<div>TOASTED OAK</div> <div>UNICLIC</div> <div>PEFC</div> <div>PRODUCT: ELT969 PACK SIZE: 1.4413m² PACKS/PALLET: 52</div>	<div>WEATHERED OAK</div> <div>UNICLIC</div> <div>PEFC</div> <div>PRODUCT: ELT019 PACK SIZE: 1.4413m² PACKS/PALLET: 52</div>		

real wood engineered flooring

12.5mm			
<div>DOUBLE WHITE OAK</div> <div>UNICLIC</div> <div>PEFC</div> <div>PRODUCT: ELKABMLDWOAK PACK SIZE: 1.583m² PACKS/PALLET: 66</div>	<div>CLASSIC WHITE OAK</div> <div>UNICLIC</div> <div>PEFC</div> <div>PRODUCT: ELKABMLWOAK PACK SIZE: 1.583m² PACKS/PALLET: 66</div>	<div>GOLDEN OAK</div> <div>UNICLIC</div> <div>PEFC</div> <div>PRODUCT: ELKABMLGOAK PACK SIZE: 1.583m² PACKS/PALLET: 66</div>	<div>ANTIQUE OAK</div> <div>UNICLIC</div> <div>PEFC</div> <div>PRODUCT: ELKABMLAOAK PACK SIZE: 1.583m² PACKS/PALLET: 66</div>



14mm			
<div>CHAMPAGNE UV B&O OAK</div> <div>UNICLIC</div> <div>PRODUCT: ELKA14CHAMP PACK SIZE: 2.075m² PACKS/PALLET: 55</div>	<div>RUSTIC UV B&O OAK</div> <div>UNICLIC</div> <div>PRODUCT: ELKA14BOROAKUC PACK SIZE: 2.075m² PACKS/PALLET: 55</div>	<div>RUSTIC UV LACQUERED OAK</div> <div>UNICLIC</div> <div>PRODUCT: ELKA14LROAKUC PACK SIZE: 2.075m² PACKS/PALLET: 55</div>	<div>TRUFFLE OAK</div> <div>UNICLIC</div> <div>PRODUCT: ELKA14TRUFFLE PACK SIZE: 2.075m² PACKS/PALLET: 55</div>
<div>SUPER RUSTIC OAK</div> <div>UNICLIC</div> <div>PRODUCT: ELKA14SROAK PACK SIZE: 2.075m² PACKS/PALLET: 55</div>	<div>CARAMEL OAK</div> <div>UNICLIC</div> <div>PRODUCT: ELKA14CARAMEL PACK SIZE: 2.075m² PACKS/PALLET: 55</div>	<div>RUSSET UV B&O OAK</div> <div>UNICLIC</div> <div>PRODUCT: ELKA14RUSSET PACK SIZE: 2.075m² PACKS/PALLET: 55</div>	
<div>RURAL OAK</div> <div>TONGUE & GROOVE</div> <div>PRODUCT: ELKA14RURAL PACK SIZE: 2.812m² PACKS/PALLET: 40</div>	<div>DUSKY OAK</div> <div>TONGUE & GROOVE</div> <div>PRODUCT: ELKA14DUSKYOAK PACK SIZE: 2.812m² PACKS/PALLET: 40</div>	<div>HERRINGBONE LIGHT SMOKED OAK</div> <div>TONGUE & GROOVE</div> <div>PRODUCT: ELKA14HBLSOAK PACK SIZE: 0.864m² PACKS/PALLET: 80</div>	<div>HERRINGBONE DARK SMOKED OAK</div> <div>TONGUE & GROOVE</div> <div>PRODUCT: ELKA14HBDSOAK PACK SIZE: 0.864m² PACKS/PALLET: 80</div>

18mm			
<div>WASHED & SMOKED OAK</div> <div>TONGUE & GROOVE</div> <div>PRODUCT: ELKA18W&SOAK PACK SIZE: 1.98m² PACKS/PALLET: 56</div>	<div>ENHANCED OAK</div> <div>TONGUE & GROOVE</div> <div>PRODUCT: ELKA18ENHANCEDOAK PACK SIZE: 1.98m² PACKS/PALLET: 56</div>	<div>NATIVE OAK</div> <div>TONGUE & GROOVE</div> <div>PRODUCT: ELKA18NATIVEOAK PACK SIZE: 1.98m² PACKS/PALLET: 56</div>	<div>WALNUT</div> <div>TONGUE & GROOVE</div> <div>PRODUCT: ELKA18LBWALNUT PACK SIZE: 1.98m² PACKS/PALLET: 56</div>

20-22mm			
<div>UNFINISHED RUSTIC OAK</div> <div>TONGUE & GROOVE 22MM</div> <div>PRODUCT: ELKA22RUOAK PACK SIZE: 2.11m² PACKS/PALLET: 35</div>	<div>AMERICAN BLACK WALNUT UV OILED FINISH</div> <div>TONGUE & GROOVE 21MM</div> <div>PRODUCT: ELKA21OBWALNUT PACK SIZE: 1.38m² PACKS/PALLET: 55</div>	<div>AMERICAN BLACK WALNUT UV LACQUERED FINISH</div> <div>TONGUE & GROOVE 21MM</div> <div>PRODUCT: ELKA21LBWALNUT PACK SIZE: 1.38m² PACKS/PALLET: 55</div>	
<div>RUSTIC UV LACQUERED OAK</div> <div>TONGUE & GROOVE 20MM</div> <div>PRODUCT: ELKA20RUVLOAK PACK SIZE: 2.11m² PACKS/PALLET: 35</div>	<div>RUSTIC UV B&O OAK</div> <div>TONGUE & GROOVE 20MM</div> <div>PRODUCT: ELKA20RB00OAK PACK SIZE: 2.11m² PACKS/PALLET: 35</div>	<div>AUTUMN OAK</div> <div>TONGUE & GROOVE 20MM</div> <div>PRODUCT: ELKA20AUTUMNOAK PACK SIZE: 2.11m² PACKS/PALLET: 35</div>	<div>COPPER OAK</div> <div>TONGUE & GROOVE 20MM</div> <div>PRODUCT: ELKA20COPPEROAK PACK SIZE: 2.11m² PACKS/PALLET: 35</div>

solid wood flooring

18mm			
<div>RUSTIC UV LACQUERED OAK</div> <div>TONGUE & GROOVE FSC</div> <div>PRODUCT: ELKA1300AKRUSFSC15 PACK SIZE: 2.184m² PACKS/PALLET: 48</div>	<div>RUSTIC UV B&O OAK</div> <div>TONGUE & GROOVE FSC</div> <div>PRODUCT: ELKA130B00AKFSC15 PACK SIZE: 2.184m² PACKS/PALLET: 48</div>	<div>GOLDEN OAK</div> <div>TONGUE & GROOVE FSC</div> <div>PRODUCT: ELKA130G0LOAKFSC15 PACK SIZE: 2.184m² PACKS/PALLET: 48</div>	<div>ANTIQUE OAK</div> <div>TONGUE & GROOVE FSC</div> <div>PRODUCT: ELKA130ANTOAKFSC15 PACK SIZE: 2.184m² PACKS/PALLET: 48</div>



To achieve the perfect finish and ensure good performance, preparation from the ground up is key. Elka's range of primers, DPM's and underlays complements its flooring range to overcome the most common problems.



The Elka range of high performance products provide the right solution to fix every type of flooring. They are safe, simple and cost effective solutions for installing elka flooring.



With Elka accessories, the right solution is always at hand to finish the job. From real wood veneer profiles and scotia to complement real wood flooring, to the easy-to-use 3in1 profiles that allow you to simply trim off the area of the product not required.

PREPARE



ELKA PRIMER
610513



ELKA LAY
609920



ELKA DUO LAY
609919



ELKA 1 COAT DPM
609947



ELKA COMFORT LAY
613127



ELKA QT LAY
609964



ELKA 3 IN 1 LAY
610515

FIX



ELKA GRIP
609957



ELKA TONGUE TITE
609969



ELKA FITTING KIT
610436



ELKA BOND RIGID
609965



ELKA BOND DIY FLEX
609956



ELKA BOND TRADE FLEX
609970

ELKA BOND TRADE FLEX REFILL
609971



ELKA BOND TROWEL FLEX
609972

LAMINATE PROFILES



ELKA 3 IN 1 PROFILE

- ELV705 SFPT60705
- ELV957 SFP60957
- ELV954 SFPT60328
- ELV018 SFP60018
- ELV017 SFP60049
- ELV958 SFP60062
- ELV959 SFP60959
- ELV254N SFP01457
- ELT913 SFPT60913
- ELT969 SFPT60969
- ELT973 SFPT60086
- ELT968 SFPT60557
- ELT019 SFPT60019
- ELT636 SFPT60636



ELKA SCOTIA

ELKA LAMINATE SCOTIA

- ELV705 SFSC60705
- ELV957 SFSC60957
- ELV954 SFSC60328
- ELV018 SFSC60018
- ELV017 SFSC60049
- ELV958 SFSC60062
- ELV959 SFSC60959
- ELV254N SFSC01457
- ELT913 SFSC60913
- ELT969 SFSC60041
- ELT973 SFSC60086
- ELT968 SFSC60557
- ELT019 SFSC60019
- ELT636 SFSC60636

REAL WOOD PROFILES



ELKA 3 IN 1 REAL WOOD PROFILE

- 2.15 WHITE OAK 609954
- 2.15 UNFINISHED OAK 609951
- 0.93 WHITE OAK 609955
- 0.93 UNFINISHED OAK 609952
- 0.93 WALNUT 609953



ELKA OAK SCOTIA PROFILE
609966

FINISH

MAINTAIN



CLEAN & PROTECT FOR OILED WOOD FLOORING
613359



CLEAN & PROTECT FOR LACQUERED WOOD FLOORING
613360



ALL PURPOSE CLEANER
FOR WOOD FLOORING
611387



ALL PURPOSE CLEANER
CONCENTRATE
611386



OILED FINISH PROTECTOR
613217



LACQUERED FINISH
PROTECTOR
613218



SCUFF MARK
REMOVER
613216

elka®

www.elkaflooring.co.uk

 **UNILIN**
UNILIN DISTRIBUTION LTD

HEAD OFFICE

Unit 5, Rampart Business Centre
Greenbank Industrial Estate
Newry, County Down
BT34 2QU
T: +44 (0) 28 3025 0477
from ROI: 048 3025 0477
F: +44 (0) 28 3025 0223

DISTRIBUTION CENTRE

Unit 4, The Furrows
Barton Dock Road
Trafford Park
Manchester
M32 0SZ
T: 0844 8118 288
F: 0844 8118 289

